

True Presence IP - surface

PRESENCE DETECTOR

neva
lux

EAN 4007841066024

E-Nr. 535933408

● steinel

45 x 123 x 123 mm



True Presence IP - surface

PRESENCE DETECTOR

EAN 4007841066024

E-Nr. 535933408

Technical Data

IDENTIFICATION	
Version	Presence detector
DIMENSIONS	
Dimensions L x W x H	45 x 123 x 123 mm
ELECTRICAL	
Own consumption	1,1 W
Supply voltage detail	Passive PoE SELV, standard PoE (IEEE 802.3 af)
SENSOR TECHNOLOGY	
Max. mounting height	12,00 m
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	7,2 GHz
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Sneak-under protection	Yes
Segment-by-segment masking	No
Electronic scalability	Yes

Mechanical scalability	No
Radial range	Ø 15 m (177 m²)
Tangential range	Ø 15 m (177 m²)
Mounting height	2,00 – 12,00 m
Presence range	Ø 15 m (177 m²)
True Presence range	Ø 9 m (64 m²)
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Networking via	Bluetooth DALI bus
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Soft light start	No
Continuous light	selectable
Constant light regulation	No
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 1000 lx
Base light function	No
Main light adjustable	No
Settings via	Bluetooth Web-Interface

With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Surface wiring
Material	Plastic
Application room	Indoors WC / washroom care room changing room classroom conference room / meeting room dining hall / staff restaurant duty room high-bay warehouse hotel room kitchenette lecture hall one-person office open-plan office production facilities reception / lobby recreation room sports hall warehouse
Colour	white
RAL colour	9003
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No

True Presence IP - surface


PRESENCE DETECTOR

EAN 4007841066024

E-Nr. 535933408

Illustrations

TECHNICAL DRAWINGS



45 x 123 x 123 mm

MOUNTING HEIGHT

2,00 – 12,00 m BEREICH	2,8 m OPTIMAL	12,00 m MAX
---------------------------	------------------	----------------

True Presence IP - surface

PRESENCE DETECTOR


EAN 4007841066024

E-Nr. 535933408

Highlights



UV-resistant plastic



Digital high frequency sensor

True Presence IP - surface

PRESENCE DETECTOR

EAN 4007841066024

E-Nr. 535933408

Accessories

ORDERING INFORMATION	
Art.-Nr.	066024
EAN	4007841066024
E-Number	535933408
Typ	True Presence IP - surface

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss