

DALI128 KNX-S DALI gateway 2-fold

neva
lux

SYSTEM COMPONENTS

EAN 4007841089214

- DALI gateway 2-gang for top-hat rail mounting
- Control of up to 2 x 64 DALI devices in max. 2 x 32 groups
- Setting of colour temperature or light colour (RGB, RGBW) for luminaires with DALI device type 8 according to IEC 62386-209
- Individual, group or central addressing
- Mounting width 72mm (4 rail units)
- 5-year product guarantee, KNX Data Secure

 **steinel**

90 x 71 x 58 mm



DALI128 KNX-S DALI gateway 2-fold

SYSTEM COMPONENTS

EAN 4007841089214

Technical Data

DIMENSIONS		CONNECTIVITY		Ambient temperature		from -5 up to 45 °C
Dimensions L x W x H		Number of DALI participants		Mounting type		DRA
90 x 71 x 58 mm		128		Material		Plastic
ELECTRICAL		With bus coupler		Colour		grey
Mains connection		Yes		SCOPE OF DELIVERY & WARRANTY		
110 – 240 V / 50 – 60 Hz		HOUSING & MATERIAL		Manufacturer warranty		5 years
Control output DALI		Protection class (IP)				
Addressable 64 EVGs		IP20				
		Protection class				
		II				

DALI128 KNX-S DALI gateway 2-fold

EAN 4007841089214

SYSTEM COMPONENTS

Accessories

ORDERING INFORMATION

Art.-Nr. 089214

EAN 4007841089214

Typ DALI128 KNX-S DALI gateway 2-fold

**neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss