

L 625 S Alu anthrazit

neva
lux

Product code **4007841059934**

- Including STEINEL LED system
- Intelligent soft light start
- Optional basic lighting level 10 %
- Including sheet of self-adhesive house numbers
- Sensor with 4 intelligent programmes
- High-quality aluminium
- UV resistant material

neva
lux

122 x 326 x 269 mm



L 625 S Alu anthrazit

Product code **4007841059934**

Technical Data

DIMENSIONS	
Dimensions L x W x H	122 x 326 x 269 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	10 W
Power detail	1 W LED house number illumination
Own consumption	0,8 W
SENSOR TECHNOLOGY	
Max. mounting height	2,50 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	90 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	r = 2 m (13 m²)
Tangential range	r = 7 m (154 m²)
Mounting height	1,80 – 2,50 m
Optimal mounting height	2 m
CONNECTIVITY	
Networking	Yes

Networking via	Cable
Slave mode adjustable	No
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	655 lm
Efficiency	66 lm/W
Colour temperature	3000 K
LED colour deviation	SDCM3
Colour rendering index	80-89
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Soft light start	Yes
Continuous light	selectable, 4h
LIFETIME	
LED lifetime max. °C	50000 h
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	5 sec – 15 min
Base light function	Yes
Functions	4 programme settings geared to practical needs, can be selected on removable sensor module

Settings via	Potentiometers
With remote control	No
Base light function in percent	25 %
Base light function percent from	25 %
HOUSING & MATERIAL	
Impact resistance	IK03
Protection class (IP)	IP44
Protection class	I
Ambient temperature	-20 – 50 °C
Housing material	Aluminium
Cover material	Glass opal
Cover material (scope of delivery)	shrouds
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	courtyard & driveway front door outdoors
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	Yes

L 625 S Alu anthrazit

Product code 4007841059934

Illustrations

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--------------------------	----------------	---------------

L 625 S Alu anthrazit

Product code 4007841059934

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009014	Ersatz-Minisensor anthrazit	Spare Part
 4007841006310	LED Ersatzpanel für L 270 / L 625 / L 665	Spare Part

ORDERING INFORMATION

Art.-Nr.

4007841059934

Typ

L 625 S Alu anthrazit

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss