

RS PRO P2 S warm white

SENSOR-SWITCHED LED INDOOR LIGHT

neva
lux

EAN 4007841056100

E-Nr. 941000189

 **steinel**

320 x 110 mm



RS PRO P2 S warm white


SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841056100

E-Nr. 941000189

Illustrations

TECHNICAL DRAWINGS




320 x 110 mm

MOUNTING HEIGHT

2 – 4 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
---------------------------------------	-------------------------------------	----------------------------------


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/master interconnection circuit diagram

RS PRO P2 S warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841056100

E-Nr. 941000189

Highlights



Including STEINEL LED system



Intelligent soft light start



Interconnectable by cable (maximum of 10 units)



Optional basic lighting level 10 %

RS PRO P2 S warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841056100

E-Nr. 941000189

Accessories

ORDERING INFORMATION	
Art.-Nr.	056100
EAN	4007841056100
E-Number	941000189
Typ	RS PRO P2 S warm white
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	