

XLED home 2 graphite

LED FLOODLIGHT WITHOUT SENSOR

neva
lux

EAN 4007841033095

E-Nr. 924700190

- Spotlight without motion detector, with fully swivelling LED panel in noble opal look
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- Optional corner wall bracket available for optimal illumination of an area in front of two house walls
- Warm white light (3000 K) and long-life 13,7 W LEDs with 1550 lm, with an illumination of max. 150 sqm
- Incl. mounting accessories - plastic-free packaging

● steinel

161 x 180 x 181 mm



XLED home 2 graphite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033095
E-Nr. 924700190

Technical Data

DIMENSIONS		Illuminant	LED cannot be replaced	Ambient temperature	from -20 up to 40 °C
Dimensions L × W × H	161 x 180 x 181 mm	Base	without	Housing material	HCMC
ELECTRICAL		LED cooling system	HCMC (High Conductive Magnesium Composite)	Cover material	Plastic, opal
Mains connection	220 – 240 V / 50 – 60 Hz			Mounting location	corner wall
Power	13,7 W			Application location	Outdoors
SENSOR TECHNOLOGY				Mounting type	Surface wiring
With motion detector	No			Application room	all round the building courtyard & driveway outdoors terrace / balcony
LIGHTING TECHNOLOGY				Colour	Anthracite
Measured luminous flux 360°	1550 lm			SCOPE OF DELIVERY & WARRANTY	
Colour temperature	3000 K			Manufacturer warranty	5 years
LED colour deviation	SDCM3			CERTIFICATES & EPREL	
Colour rendering index	80-89			EPREL energy efficiency class	E
With illuminant	Yes, STEINEL LED system			EPREL category	Light source

XLED home 2 graphite


LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033095

E-Nr. 924700190

Illustrations

TECHNICAL DRAWINGS



161 x 180 x 181 mm

XLED home 2 graphite


LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033095

E-Nr. 924700190

Wiring Diagrams

WIRING DIAGRAM 1



Slave circuit diagram


XLED home 2 graphite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033095

E-Nr. 924700190

Highlights




Including STEINEL LED system



HCMC cooling system



UV-resistant plastic



Colour rendering index Ra ≥80

XLED home 2 graphite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033095
E-Nr. 924700190

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841055875	Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz	Accessory
 4007841053086	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse graphit	Accessory
 4007841055615	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse weiss	Accessory
 4007841053109	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse silber	Accessory

ORDERING INFORMATION

Art.-Nr.

033095

EAN

4007841033095

E-Number

924700190

Typ

XLED home 2 graphite

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss