

IS 3360 KNX - surface, sq. white

PRESENCE DETECTOR

neva
lux

EAN 4007841058166

E-Nr. 535943908

● steinel

65 x 95 x 95 mm



IS 3360 KNX - surface, sq. white

PRESENCE DETECTOR

EAN 4007841058166

E-Nr. 535943908

Technical Data

IDENTIFICATION			Presence range			Settings via		
Version			Optimal mounting height			ETS software Remote control Bus Smart Remote		
Motion and Presence Detector			2,8 m			With remote control		
No			CONNECTIVITY			Twilight setting teach		
Dimensions L x W x H			Networking			Yes		
65 x 95 x 95 mm			Type of networking			Master/slave		
ELECTRICAL			Networking via			KNX bus		
Supply voltage detail			KNX functions			HOUSING & MATERIAL		
KNX bus			Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate			Protection class (IP)		
SENSOR TECHNOLOGY			With bus coupler			IP54		
Max. mounting height			LIGHTING TECHNOLOGY			Ambient temperature		
4,00 m			Soft light start			from -20 up to 50 °C		
Sensor technology			Continuous light			Mounting location		
passive infrared			Constant light regulation			ceiling		
With motion detector			SETTINGS			Application location		
Yes			Twilight switch			Indoors Outdoors		
Detection angle			Twilight setting			Mounting type		
360 °			Time setting			Surface wiring		
Opening angle			Base light function			Material		
180 °			Main light adjustable			Plastic		
Sneak-under protection						Application room		
Yes						Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park outdoors production facilities reception / lobby recreation room sports hall stairwell warehouse		
Segment-by-segment masking						Colour		
Yes						white		
Electronic scalability						RAL colour		
No						9003		
Mechanical scalability						SCOPE OF DELIVERY & WARRANTY		
No						Manufacturer warranty		
Radial range						5 years		
Ø 8 m (50 m²)						Corner wall bracket included		
Tangential range						No		
Ø 40 m (1257 m²)								
Switching zones								
1416 switching zones								
Mounting height								
2,50 – 4,00 m								


IS 3360 KNX - surface, sq. white

PRESENCE DETECTOR

EAN 4007841058166
E-Nr. 535943908

Illustrations

TECHNICAL DRAWINGS



65 x 95 x 95 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 KNX - surface, sq. white

EAN 4007841058166


E-Nr. 535943908

PRESENCE DETECTOR

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls



Smart Remote remote control optional

IS 3360 KNX - surface, sq. white

PRESENCE DETECTOR

EAN 4007841058166
E-Nr. 535943908

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

058166

EAN

4007841058166

E-Number

535943908

Typ

IS 3360 KNX - surface, sq. white

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss