

nyota connect C400 4K 60

neva
lux

Product code **221517**

- The intelligent high bay luminaire nyota from nevalux makes the refurbishment of large industrial, logistics and exhibition halls child's play. Old spotlights can easily be replaced by new luminaires. This creates the most modern lighting management system of today. During commissioning, groups are formed, follow-up times are defined and the brightness for constant light control is set. Energy savings of more than 80% compared to old technologies are the order of the day. The IP65 jet water protection in combination with the IK09 shock resistance rating make this luminaire almost indestructible.

neva
lux

400 x 166 mm



nyota connect C400 4K 60

Product code 221517

Technical Data

DIMENSIONS		CONNECTIVITY		With program-controlled lighting control		Yes
Dimensions Ø x H	400 x 166 mm	With radio network control				Yes
ELECTRICAL		LIGHTING TECHNOLOGY		HOUSING & MATERIAL		
Mains connection	200...240 V / 50 – 60 Hz	Colour temperature		Impact resistance		IK09
Power	200 W	LED colour deviation		Protection class (IP)		IP65
Replaceable driver	Yes	Colour rendering index		Protection class		I
Maximum number of luminaires per circuit breaker	C10: 5x, C13: 6x, C16: 8x, C25: 12x, B10: 3x, B13: 4x, B16: 5x, B25: 7x	Illuminant		Ambient temperature		-20...50 °C
SENSOR TECHNOLOGY		Luminous flux		Housing material		Steel
Sensor technology	passive infrared	Beam angle		Cover material		Lens transparent
With motion detector	Yes	Luminaire luminous efficacy		Mounting type		Ceiling / Wall / Pendant
Detection angle	360 °	Glare value		Colour		black
Radial range	4 x 4 m (16 m²)	LIFETIME		SCOPE OF DELIVERY & WARRANTY		
Tangential range	6 x 6 m (36 m²)	LED lifespan (25 °C)		Manufacturer warranty		5 years
Mounting height	< 10 m	SETTINGS		CERTIFICATES & EPREL		
Presence range	4 x 4 m (16 m²)	DALI dimming		EPREL energy efficiency class		C
With light sensor	Yes	With emergency light				No

nyota connect C400 4K 60

Product code **221517**

Illustrations

MOUNTING HEIGHT

< 10 m BEREICH

nyota connect C400 4K 60

Product code 221517

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

221517

Typ

nyota connect C400 4K 60

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss