XLED home 2 XL Silver

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841030063

- Including STEINEL LED system
- HCMC cooling system
- UV-resistant plastic
- Colour rendering index Ra =80

214 x 180 x 161 mm



XLED home 2 XL Silver

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841030063

Technical Data

IDENTIFICATION

Variant	**Silver**

DIMENSIONS

Dimensions L × W × H	**214 x 180 x 161 mm**

ELECTRICAL

Mains connection	**230 – 240 V**
Power	**20 W**

SENSOR TECHNOLOGY

Max. mounting height	**4,00 m**
Sensor technology	**passive infrared**
With motion detector	**Yes**
Detection angle	**140 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Tangential range	**r = 14 m (239 m²)**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**4000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
LED cooling system	**HCMC (High Conductive Magnesium Composite)**
Continuous light	**selectable**
Luminous flux	**1608 lm**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**8 sec – 35 min**
Base light function	**No**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**-20 – 40 °C**
Housing material	**Plastic**
Cover material	**Plastic, opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

XLED home 2 XL Silver

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841030063

Illustrations

MOUNTING HEIGHT

4,00 m

MAX

XLED home 2 XL Silver

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841030063

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841053109	**Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse silber**	Accessory

ORDERING INFORMATION

Art.-Nr.	OLD-4007841030063
EAN	4007841030063
Typ	**XLED home 2 XL Silver**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss