

L 600 CAM

neva
lux

Product code **4007841052997**

E-Nr. **941200089**

- HD wide-angle colour camera
- Integrated intercom unit
- Communication via smartphone
- Micro SD card (8 GB included)
- House number illumination throughout the night
- Including STEINEL LED system
- Adjustable night light when dark (0 - 40%)

neva
lux

131 x 78 x 305 mm



L 600 CAM

Product code **4007841052997**
E-Nr. **941200089**

Technical Data

DIMENSIONS		Tangential range		passive infrared: r = 10 m (157 m²)		SETTINGS	
Dimensions L x W x H		131 x 78 x 305 mm		CONNECTIVITY		Twilight switch	
ELECTRICAL		Mains connection		220 – 240 V , 50 / 60 Hz		Twilight setting	
Power		14,3 W		Networking		10 – 10000 lx	
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY		Time setting		60 sec – 15 min	
Max. mounting height		2,00 m		Efficiency		Base light function	
Sensor technology		passive infrared		Colour temperature		Settings via	
With motion detector		Yes		Colour rendering index		Smartphone	
Detection angle		180 °		With illuminant		With remote control	
Opening angle		90 °		Illuminant		Yes	
Sneak-under protection		No		Base		HOUSING & MATERIAL	
Segment-by-segment masking		No		LED cooling system		Protection class (IP)	
Electronic scalability		Yes		Soft light start		Protection class	
Mechanical scalability		No		Luminous flux		Ambient temperature	
				LIFETIME		Housing material	
				LED lifetime max. °C		Cover material	
						SCOPE OF DELIVERY & WARRANTY	
						Manufacturer warranty	
						3 years	

L 600 CAM

Product code **4007841052997**
E-Nr. **941200089**

Illustrations

MOUNTING HEIGHT

2,00 m

MAX

L 600 CAM

Product code **4007841052997**
E-Nr. **941200089**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841052997
E-Number	941200089
Typ	L 600 CAM

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss