

IS 2180-5 schwarz

neva
lux

Product code **4007841605711**

- UV-resistant plastic
- Including corner wall mount

neva
lux

120 x 78 x 55 mm



IS 2180-5 schwarz

Product code 4007841605711

Technical Data

IDENTIFICATION

Variant	black
Version	Motion detectors

DIMENSIONS

Dimensions L x W x H **120 x 78 x 55 mm**

ELECTRICAL

Mains connection	230 – 240 V , 50 / 50 Hz
Switching output 1 resistive	1000 W

SENSOR TECHNOLOGY

Sensor technology	passive infrared
Detection angle	180 °
Opening angle	90 °
Sneak-under protection	Yes

Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Tangential range	$r = 8 \text{ m} (101 \text{ m}^2) / r = 20 \text{ m} (628 \text{ m}^2)$
Switching zones	504 switching zones
Optimal mounting height	2 m

CONNECTIVITY

Networking	Yes
------------	-----

LIGHTING TECHNOLOGY

Constant light regulation	No
---------------------------	----

SETTINGS

Twilight setting	2 – 2000 lx
Time setting	5 sec – 15 min

Base light function	No
With remote control	No
Twilight setting teach	No

HOUSING & MATERIAL

Protection class (IP)	IP54
Ambient temperature	-20 – 50 °C
Mounting location	corner wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Plastic
Colour	black
RAL colour	9005

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
-----------------------	---------

IS 2180-5 schwarz

Product code **4007841605711**

Illustrations

MOUNTING HEIGHT



IS 2180-5 schwarz

Product code **4007841605711**

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841605711
Typ	IS 2180-5 schwarz
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	