L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841068714
E-Nr. 941012849

- Outdoor light without motion detector in flat linear design
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire), scheduling function
- Warm white light (3000 K) and long-life 6,6 W LEDs with 566 lm
- Incl. mounting accessories - plastic-free packaging

65 x 116 x 235 mm



L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841068714**
E-Nr. **941012849**

Technical Data

DIMENSIONS

Dimensions L × W × H	**65 x 116 x 235 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**6,6 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**Yes**
Control technology	**Steinel Connect**
Wireless networking via	**BT SIG Mesh**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**566 lm**
Efficiency	**85 lm/W**
Colour temperature	**3000 K**
Colour rendering index	**= 82**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Continuous light	**selectable**

LIFETIME

Average rated power supply lifetime at 25 °C	**> 60000 h**

SETTINGS

With remote control	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**from -10 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, opal**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Aluminium**
Application room	**all round the building front door garden terrace / balcony**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

EPREL category	**Surrounded product with integrated light source**


L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841068714**
E-Nr. **941012849**

Illustrations

TECHNICAL DRAWINGS



65 x 116 x 235 mm


L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841068714**
E-Nr. **941012849**

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841068714
E-Nr. 941012849


Highlights



Interconnectable and adjustable via Bluetooth



High-quality materials




Operatable via app

L 271 digi C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841068714**
E-Nr. **941012849**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841088620	**Funkschalter TapDuo C**	System components

ORDERING INFORMATION

Art.-Nr.	068714
EAN	4007841068714
E-Number	941012849
Typ	**L 271 digi C without motion detector, with Bluetooth**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss