

RS PRO LED S2 IP65 warmweiss

neva
lux

Product code **4007841057688**

E-Nr. **941000369**

- Including STEINEL LED system
- Intelligent LED cooling system
- Smart Remote remote control optional
- Optional basic lighting level 10 - 20%
- Wireless interconnection
- High-quality aluminium
- Impact-resistant material rated to IK10

neva
lux

362 x 82 mm



RS PRO LED S2 IP65 warmweiss

Product code **4007841057688**
E-Nr. **941000369**

Technical Data

IDENTIFICATION		Mechanical scalability		No	SETTINGS	
Variant	warm white	CONNECTIVITY			Twilight switch	Yes
DIMENSIONS		Networking		Yes	Twilight setting	2 – 2000 lx
Dimensions Ø x H	362 x 82 mm	LIGHTING TECHNOLOGY			Time setting	5 sec – 15 min
ELECTRICAL		Colour temperature	3000 K		Base light function	Yes
Mains connection	220 – 240 V , 50 / 60 Hz	LED colour deviation	SDCM3		Base light function time	10/30 min, all night
Power	26 W	Colour rendering index	80-89		Functions	Neighbouring-light function, Presence function
SENSOR TECHNOLOGY		With illuminant	Yes, STEINEL LED system		HOUSING & MATERIAL	
Sensor technology	High frequency	Illuminant	LED cannot be replaced		Impact resistance	IK10
Transmission power	< 1 mW	Base	without		Protection class (IP)	IP65
With motion detector	Yes	LED cooling system	Active and Passive Thermo Control		Protection class	II
Detection	also through glass, wood and stud walls	Luminous flux	1903 lm		Ambient temperature	-10 – 50 °C
Detection angle	360 °	LIFETIME			Housing material	Aluminium
Opening angle	160 °	LED lifetime max. °C	70000 h		Cover material	Plastic, opal
Electronic scalability	Yes	Luminous flux decline per LM80	L80B10		SCOPE OF DELIVERY & WARRANTY	
					Manufacturer warranty	5 years

RS PRO LED S2 IP65 warmweiss

Product code **4007841057688**
E-Nr. **941000369**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841057688

E-Number

941000369

Typ

RS PRO LED S2 IP65 warmweiss

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss