

RS PRO 5150 C ohne Bewegungsmelder

neva
lux

Product code **4007841058722**

E-Nr. **941375589**

- Including STEINEL LED system
- Interconnectable and adjustable via Bluetooth
- Impact-resistant material rated to IK07
- Optional basic lighting level 0 - 100 %
- Adjustable main light brightness (0 - 100%)
- Adjustable mounts for easy installation

neva
lux

1500 x 87 x 58 mm



RS PRO 5150 C ohne Bewegungsmelder

Product code 4007841058722
E-Nr. 941375589

Technical Data

IDENTIFICATION	
Type of accessory	Other
DIMENSIONS	
Dimensions L x W x H	1500 x 87 x 58 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	42 W
Own consumption	0,45 W
SENSOR TECHNOLOGY	
With motion detector	No
CONNECTIVITY	
Networking	Yes
Networking via	Bluetooth Mesh Connect
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	5940 lm
Colour temperature	4000 K

Illuminant	LED cannot be replaced
LIFETIME	
LED lifetime max. °C	60000 h
LED lifetime L70B50 25°C	> 60000 h
Luminous flux decline per LM80	L80B10
SETTINGS	
Twilight setting	2 – 2000 lx
Time setting	5 s – 60 Min.
Base light function	Yes
Base light function time	1-60 min
Main light adjustable	0 - 100 %
Functions	Encrypted communication\nNeighbouring group function\nFree selection of the light value in a luminaire group\nAdjustable fade time when switching on and off\nConnection to central battery systems
Base light function in percent	0 – 100 %

Base light function percent from	0 %
HOUSING & MATERIAL	
Impact resistance	IK07
Protection class (IP)	IP65
Protection class	II
Ambient temperature	-20 – 40 °C
Housing material	Plastic
Cover material	Plastic, structured
Mounting location	ceiling wall
Material	Plastic
Colour	grey
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
CERTIFICATES & EPREL	
Certificates	DEKRA
EPREL category	Surrounded product with integrated light source

RS PRO 5150 C ohne Bewegungsmelder

Product code **4007841058722**E-Nr. **941375589**

Accessories

ORDERING INFORMATION

Art.-Nr. 4007841058722

E-Number 941375589

Typ **RS PRO 5150 C ohne Bewegungsmelder****neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss