HF 360 KNX

PRESENCE DETECTOR

EAN 4007841008796
E-Nr. 535930408

- Optional remote controls
- Optional surface-mounting adapter (IP 54, KNX)
- Optional guard cage
- HF ceiling adapter for installation in suspended ceilings

56 x 120 x 120 mm



HF 360 KNX

PRESENCE DETECTOR

EAN **4007841008796**
E-Nr. **535930408**

Technical Data

IDENTIFICATION

Variant	**KNX**
Version	**Presence detector**
Model	**KNX**

DIMENSIONS

Dimensions L × W × H	**56 x 120 x 120 mm**

ELECTRICAL

Supply voltage detail	**KNX bus**

SENSOR TECHNOLOGY

Sensor technology	**High frequency**
HF technology	**5,8 GHz**
Detection	**also through glass, wood and stud walls**
Detection angle	**360 °**
Opening angle	**160 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**Yes**
Mechanical scalability	**No**
Range detail	**1 or 2 detection directions can be masked out by stickers for adjustment to the room situation.**
Radial range	**Ø 12 m (113 m²)**
Tangential range	**Ø 12 m (113 m²)**
Mounting height	**2,50 – 3,50 m**
Optimal mounting height	**2,8 m**

CONNECTIVITY

KNX functions	**Light output 4x, Presence output, Light level, Constant-lighting control, Basic light level function, HVAC output**
With bus coupler	**Yes**
Control technology	**On/Off-Leuchte**

SETTINGS

Twilight setting	**10 – 1000 lx**
Time setting	**0 – 255 min**
Base light function time	**Permanently ON, 1-255 min, all night**
Settings via	**ETS software, Remote control, Bus**
Twilight setting teach	**Yes**
Base light function in percent	**10 %**

HOUSING & MATERIAL

Protection class (IP)	**IP20**
Ambient temperature	**-25 – 55 °C**
Mounting location	**ceiling**
Application location	**Indoors**
Mounting type	**Concealed wiring**
Material	**Plastic**
Colour	**white**
RAL colour	**9010**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

OTHER

Application, location, room	**side room, stairwell, washroom, wc**

HF 360 KNX

PRESENCE DETECTOR

EAN **4007841008796**
E-Nr. **535930408**

Illustrations

MOUNTING HEIGHT

2,50 – 3,50 m BEREICH	2,8 m OPTIMAL

HF 360 KNX

PRESENCE DETECTOR

EAN **4007841008796**
E-Nr. **535930408**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841000363	**Aufputz-Adapter Control Pro IP54 weiss**	Accessory
	4007841003029	**Aufputz-Adapter Control PRO AP Box KNX**	Accessory
	4007841003036	**Control PRO Schutzkorb**	Accessory
	4007841592912	**Nutzer Fernbedienung RC7 KNX**	Accessory
	4007841593018	**Service Fernbedienung RC6 KNX**	Accessory
	4007841006600	**HF-Deckenadapter**	Accessory
	4007841009151	**Smart Remote**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841008796
EAN	4007841008796
E-Number	535930408
Typ	**HF 360 KNX**

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss