L 605 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841069506
E-Nr. 941012859

- Outdoor light without motion detector, with elegant aluminium base
- Glass body made of high-quality opal glass ensures uniform and soft light distribution
- Warm white light (3000 K) and long-life 11,3 W LEDs with 729 lm
- Incl. mounting accessories - plastic-free packaging

steinel

131 x 78 x 260 mm



L 605 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069506**
E-Nr. **941012859**

Technical Data

DIMENSIONS

Dimensions L × W × H	**131 x 78 x 260 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**11,3 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**No**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**729 lm**
Efficiency	**64,5 lm/W**
Colour temperature	**3000 K**
Colour rendering index	**= 82**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**No**

LIFETIME

LED lifetime max. °C	**36000 h**
LED lifetime L70B50 25°C	**> 36000 h**
Power supply lifetime max. °C	**36000 h**
Average rated power supply lifetime at 25 °C	**> 36000 h**

SETTINGS

Twilight switch	**No**
With remote control	**No**
Twilight setting teach	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**I**
Ambient temperature	**from -10 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Glass opal**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Aluminium**
Application room	**all round the building front door outdoors terrace / balcony**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

EPREL category	**Surrounded product with integrated light source**


L 605 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841069506
E-Nr. 941012859

Illustrations

TECHNICAL DRAWINGS



131 x 78 x 260 mm


L 605 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069506**
E-Nr. **941012859**


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

WIRING DIAGRAM 2




Circuit diagram

L 605 without motion detector


OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069506**
E-Nr. **941012859**

Highlights



Including STEINEL LED system



High-quality aluminium

L 605 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069506**
E-Nr. **941012859**

Accessories

ORDERING INFORMATION

Art.-Nr.	069506
EAN	4007841069506
E-Number	941012859
Typ	**L 605 without motion detector**

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss