

L 1 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841650513

E-Nr. 924323019

- Outdoor light with motion detector and house number sticker
- Made of UV-resistant, impact-resistant material according to IK07 for a long service life
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (90° vertical)
- With E27 socket for incandescent lamps with max. 60 W as well as for energy-saving lamps or LED bulbs with max. 20 W (not included in the scope of delivery)
- Incl. house number arch and mounting accessories - plastic-free packaging

 **steinel**

120 x 110 x 255 mm



L 1 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841650513

E-Nr. 924323019

Technical Data

DIMENSIONS

Dimensions L x W x H120 x 110 x 255 mm

ELECTRICAL

Mains connection230 – 240 V / 50 Hz

Power60 W

Own consumption0,55 W

SENSOR TECHNOLOGY

Max. mounting height3,00 m

Sensor technologypassive infrared

With motion detectorYes

Detection angle180 °

Sneak-under protectionYes

Segment-by-segment maskingYes

Electronic scalabilityNo

Mechanical scalabilityNo

Radial range r = 3 m (14 m²)

Tangential range r = 10 m (157 m²)

Mounting height1,80 – 3,00 m

Optimal mounting height2 m

CONNECTIVITY

NetworkingNo

Slave mode adjustableNo

LIGHTING TECHNOLOGY

With illuminantNo

IlluminantAll-purpose lamp

BaseE27

Soft light startNo

SETTINGS

Twilight switchYes

Twilight setting2 – 2000 lx

Time setting8 s – 35 Min.

Base light functionNo

Settings viaPotentiometers

With remote controlNo

HOUSING & MATERIAL

Impact resistanceIK07

Protection class (IP)IP44

Protection classII

Ambient temperaturefrom -20 up to 40 °C

Housing materialPlastic

Cover materialPlastic, opal

Cover material (scope of delivery)sticker

Mounting locationwall

Application locationOutdoors

Mounting typeSurface wiring

Application roomall round the building
courtyard & driveway front
door outdoors

Colourwhite

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty3 years

House number sheet includedYes

CERTIFICATES & EPREL

EPREL categorySurrounded product with
separate light source (e.g.
E27)

L 1 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841650513

E-Nr. 924323019

Illustrations

TECHNICAL DRAWINGS



120 x 110 x 255 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
--------------------------	----------------	---------------

L 1 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841650513

E-Nr. 924323019

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 1 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841650513

E-Nr. 924323019

Highlights



Including sheet of self-adhesive house numbers



Impact-resistant material rated to IK07



UV-resistant plastic

L 1 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841650513**
E-Nr. **924323019**

Accessories

ORDERING INFORMATION

Art.-Nr.	650513
EAN	4007841650513
E-Number	924323019
Typ	L 1 S white



nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss