

XLED home 2 SL silber

neva
lux

Product code **OLD-4007841033101**

- Including STEINEL LED system
- HCMC cooling system
- UV-resistant plastic
- Colour rendering index Ra =80

neva
lux

181 x 180 x 161 mm



XLED home 2 SL silber

Product code **OLD-4007841033101**

Technical Data

IDENTIFICATION				SETTINGS	
Variant	Silver	LED colour deviation	SDCM3	Twilight switch	No
DIMENSIONS		Colour rendering index	80-89	HOUSING & MATERIAL	
Dimensions L x W x H	181 x 180 x 161 mm	With illuminant	Yes, STEINEL LED system	Impact resistance	IK00
ELECTRICAL		Illuminant	LED cannot be replaced	Protection class (IP)	IP44
Mains connection	230 – 240 V , 50 / 60 Hz	LED cooling system	HCMC (High Conductive Magnesium Composite)	Protection class	II
Power	14,8 W	Luminous flux	1184 lm	Housing material	HCMC
SENSOR TECHNOLOGY		LIFETIME		Cover material	Plastic, opal
With motion detector	No	LED lifetime max. °C	50000 h	SCOPE OF DELIVERY & WARRANTY	
LIGHTING TECHNOLOGY		Luminous flux decline per LM80	L70B10	Manufacturer warranty	5 years
Colour temperature	4000 K				

XLED home 2 SL silber

Product code **OLD-4007841033101**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841053109	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse silber	Accessory

ORDERING INFORMATION

Art.-Nr.

OLD-4007841033101

Typ

XLED home 2 SL silber

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss