

XLED ONE XL white

LED FLOODLIGHT WITHOUT SENSOR

neva
lux

EAN 4007841065232

E-Num. 941501399

- Spotlight without motion detector for wall and ceiling mounting with floodlight-like illumination of large areas
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- LED panel can be swivelled vertically by 180°
- Warm white light (3000 K) and long-life 42,6 W LEDs with 4200 lm, with an illumination of max. 300 sqm
- Incl. mounting accessories - plastic-free packaging

 **steinel**

193 x 259 x 215 mm



XLED ONE XL white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065232
E-Nr. 941501399

Technical Data

DIMENSIONS		With illuminant	Yes, STEINEL LED system	Protection class	I
Dimensions L x W x H	193 x 259 x 215 mm	Illuminant	LED cannot be replaced	Ambient temperature	from -20 up to 40 °C
ELECTRICAL		Base	without	Housing material	Aluminium
Mains connection	220 – 240 V / 50 – 60 Hz	LED cooling system	Passive Thermo Control	Cover material	Glass transparent
Power	42,6 W	LIFETIME		Mounting location	ceiling wall
SENSOR TECHNOLOGY		LED lifetime max. °C	50000 h	Application location	Outdoors
With motion detector	No	LED lifetime L70B50 25°C	> 36000 h	Mounting type	Surface wiring
CONNECTIVITY		Luminous flux decline per LM80	L70B10	Application room	courtyard & driveway outdoors
Networking	No	SETTINGS		Colour	white
LIGHTING TECHNOLOGY		Twilight switch	No	SCOPE OF DELIVERY & WARRANTY	
Measured luminous flux 360°	4200 lm	Base light function	No	Manufacturer warranty	3 years
Colour temperature	3000 K	HOUSING & MATERIAL		CERTIFICATES & EPREL	
LED colour deviation	SDCM3	Impact resistance	IK03	EPREL energy efficiency class	E
Colour rendering index	80-89	Protection class (IP)	IP44	EPREL category	Surrounded product with integrated light source

XLED ONE XL white


LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065232

E-Nr. 941501399

Illustrations

TECHNICAL DRAWINGS



193 x 259 x 215 mm


XLED ONE XL white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065232
E-Nr. 941501399

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

XLED ONE XL white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065232

E-Nr. 941501399

Highlights



Including STEINEL LED system



UV resistant material



High-quality aluminium



Suitable for mounting on ceilings

XLED ONE XL white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065232

E-Nr. 941501399

Accessories

ORDERING INFORMATION	
Art.-Nr.	065232
EAN	4007841065232
E-Number	941501399
Typ	XLED ONE XL white

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss