

L 800 C Anthracite

OUTDOOR LIGHT WITHOUT SENSOR

neva
lux


EAN 4007841079291

E-Nr. 941003669

- Outdoor light without motion detector, with effective downward lighting (downlight)
- Elegant and modern design with high-quality aluminium housing
- Wireless networking via Bluetooth and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire)
- Warm white light (3000 K) and long-life 7,5 W LEDs with 466 lm
- Incl. mounting accessories - plastic-free packaging



146 x 230 x 88 mm



L 800 C Anthracite

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079291

E-Nr. 941003669

Technical Data

DIMENSIONS	
Dimensions L x W x H	146 x 230 x 88 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	7,5 W
SENSOR TECHNOLOGY	
Max. mounting height	2,50 m
Transmission power	< 1 mW
With motion detector	No
Mounting height	1,80 – 2,50 m
Optimal mounting height	2 m
CONNECTIVITY	
Networking	Yes
Networking via	Bluetooth
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	466 lm
Colour temperature	3000 K
With illuminant	Yes, STEINEL LED system

Illuminant	LED cannot be replaced
Base	without
LED cooling system	Active and Passive Thermo Control
Soft light start	Yes
LIFETIME	
LED lifetime L70B50 25°C	> 60000 h
SETTINGS	
Twilight switch	No
Base light function	Yes
Base light function detail	only in combination with the SC version
Settings via	App Bluetooth
With remote control	No
Base light function in percent	10 – 100 %
Base light function percent from	10 %
HOUSING & MATERIAL	
Impact resistance	IK03

Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Aluminium
Cover material	Plastic, opal
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door garden terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	No
CERTIFICATES & EPREL	
EPREL category	Surrounded product with integrated light source

L 800 C Anthracite


OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079291

E-Nr. 941003669

Illustrations

TECHNICAL DRAWINGS



146 x 230 x 88 mm

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--------------------------	----------------	---------------

L 800 C Anthracite


OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079291

E-Nr. 941003669

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth


L 800 C Anthracite

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079291

E-Nr. 941003669

Highlights



High-quality aluminium



Intelligent soft light start (only with bluetooth sensor product)

L 800 C Anthracite

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079291

E-Nr. 941003669

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
4007841088620	Funkschalter TapDuo C	System components

ORDERING INFORMATION

Art.-Nr.

079291

EAN

4007841079291

E-Number

941003669

Typ

L 800 C Anthracite

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss