

XLED Protect without motion detector - anthracite

neva
lux**LED FLOODLIGHT WITHOUT SENSOR****EAN 4007841090029**

- Wide-angle panoramic lighting: outdoor spotlight with three bright LED light surfaces
- High light output: 13,6 W and 1642 lm for powerful, warm white light (3000 K)
- Flexible alignment: LED panel can be fully rotated, tilted and locked for precise lighting
- Robust: IP54 classification and IK03 construction for high resistance
- Durable: 5-year STEINEL guarantee
- Simple installation: Incl. mounting accessories - plastic-free packaging

● steinel

195 x 195 x 174 mm



XLED Protect without motion detector - anthracite

EAN 4007841090029

LED FLOODLIGHT WITHOUT SENSOR

Technical Data

DIMENSIONS		Illuminant		LED cannot be replaced		Mounting location		corner wall									
Dimensions L × W × H		195 x 195 x 174 mm		Soft light start		No		Application location		Outdoors							
ELECTRICAL		Constant light regulation		No <th colspan="2">Mounting type</th> <th colspan="2">Surface wiring<th colspan="2">Application room</th><td colspan="2">all round the building courtyard & driveway front door garden terrace / balcony</td></th>		Mounting type		Surface wiring <th colspan="2">Application room</th> <td colspan="2">all round the building courtyard & driveway front door garden terrace / balcony</td>		Application room		all round the building courtyard & driveway front door garden terrace / balcony					
Mains connection		220 – 240 V / 50 – 60 Hz		LIFETIME		LED lifetime L70B50 25°C		> 60000 h		Colour		Anthracite					
Power		13,6 W		SETTINGS		Twilight switch		No		SCOPE OF DELIVERY & WARRANTY		Manufacturer warranty		5 years			
SENSOR TECHNOLOGY		With motion detector		No		Base light function		No		Corner wall bracket included		No		CERTIFICATES & EPREL			
CONNECTIVITY		Networking		No		Main light adjustable		No		Certificates		DEKRA		EPREL energy efficiency class		E	
LIGHTING TECHNOLOGY		Measured luminous flux 360°		1642 lm		HOUSING & MATERIAL		Impact resistance		IK03		EPREL category		Light source			
Colour temperature		3000 K		Protection class (IP)		IP54		Protection class		II							
Colour rendering index		= 82		Ambient temperature		from -20 up to 40 °C		Cover material		Plastic, opal							
With illuminant		Yes, LED lamp															


XLED Protect without motion detector - anthracite

EAN 4007841090029

LED FLOODLIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



195 x 195 x 174 mm


XLED Protect without motion detector - anthracite

EAN 4007841090029

LED FLOODLIGHT WITHOUT SENSOR

Wiring Diagrams

WIRING DIAGRAM 1




Circuit diagram

XLED Protect without motion detector - anthracite

EAN 4007841090029

LED FLOODLIGHT WITHOUT SENSOR

Highlights




180° panorama light



UV resistant material



Colour rendering index Ra ≥82



Including STEINEL LED system

XLED Protect without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841090029

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841053086	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse graphit	Accessory
 4007841055875	Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz	Accessory
 4007841055615	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse weiss	Accessory

ORDERING INFORMATION

Art.-Nr.

090029

EAN

4007841090029

Typ

XLED Protect without motion detector - anthracite

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss