

IS NM 360 weiss

neva
lux

Product code **4007841609313**

- UV-resistant plastic
- Sensor with 4 intelligent programmes

neva
lux

114 x 100 x 58 mm



IS NM 360 weiss

Product code **4007841609313**

Technical Data

IDENTIFICATION	
Variant	white
Version	Motion detectors
DIMENSIONS	
Dimensions L x W x H	114 x 100 x 58 mm
ELECTRICAL	
Mains connection	220 – 240 V , 50 / 50 Hz
Switching output 1 resistive	1000 W
Switching output 1 number of LED/fluorescent lamps	6 pcs.
SENSOR TECHNOLOGY	
Sensor technology	passive infrared
Detection angle	360 °
Opening angle	90 °

Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Tangential range	Ø 16 m (201 m²)
Switching zones	512 switching zones
Optimal mounting height	2 m
CONNECTIVITY	
Networking	Yes
LIGHTING TECHNOLOGY	
Constant light regulation	No
SETTINGS	
Twilight setting	2 – 1000 lx
Time setting	5 sec – 15 min

Base light function	No
With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	-20 – 50 °C
Mounting location	wall
Application location	Indoors Outdoors
Mounting type	Surface wiring
Material	Plastic
Colour	white
RAL colour	9010
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years

IS NM 360 weiss

Product code 4007841609313

Illustrations

MOUNTING HEIGHT



IS NM 360 weiss

Product code 4007841609313

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009045	Ersatz-Minisensor weiss	Spare Part

ORDERING INFORMATION

Art.-Nr.

4007841609313

Typ

IS NM 360 weiss

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss