

sensIQ S KNX schwarz



Product code 4007841004057

E-Nr. 535940658

- 4x pyro system
- Remote control RC1 included

neva
lux

128 x 74 x 114 mm



Technical Data

IDENTIFICATION		Range detail		Base light function	
Variant	black	Reach adjustable from 2 - 20 m in 3 directions (100° in each)		Yes	
Version	Motion detectors			Base light function time	
Type of accessory	Corner adapter	Radial range		1-255 min	
Model	KNX	Tangential range		Settings via	
DIMENSIONS		Switching zones		ETS software, Remote control, Bus	
Dimensions L x W x H		Mounting height		With remote control	
128 x 74 x 114 mm		Optimal mounting height		Yes	
ELECTRICAL		CONNECTIVITY		Twilight setting teach	
Supply voltage detail		Networking		Yes	
KNX bus		KNX functions		HOUSING & MATERIAL	
SENSOR TECHNOLOGY		Light output 2x, Presence output, Light level, Basic light level function, Photo-cell controller, Close range		Protection class (IP)	
Sensor technology		With bus coupler		IP54	
passive infrared		LIGHTING TECHNOLOGY		Ambient temperature	
Detection angle		Constant light regulation		-20 – 50 °C	
300 °		SETTINGS		Mounting location	
Opening angle		Twilight setting		corner wall	
90 °		Time setting		Application location	
Sneak-under protection				Indoors Outdoors	
Yes				Mounting type	
Segment-by-segment masking				Surface wiring	
Yes				Material	
Electronic scalability				Plastic	
No				Colour	
Mechanical scalability				black	
Yes				RAL colour	
				9005	
				SCOPE OF DELIVERY & WARRANTY	
				Manufacturer warranty	
				5 years	
				CERTIFICATES & EPREL	
				Certificates	
				VDE	

sensIQ S KNX schwarz

Product code **4007841004057**
E-Nr. **535940658**

Illustrations

MOUNTING HEIGHT

2,00 – 5,00 m BEREICH	2 m OPTIMAL
---	-----------------------------------

sensIQ S KNX schwarz

Product code **4007841004057**
E-Nr. **535940658**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841601416	Fernbedienung RC1	

ORDERING INFORMATION

Art.-Nr.

4007841004057

E-Number

535940658

Typ

sensIQ S KNX schwarz

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss