

elani connect C3000 TW IP64



Product code **221374**

- Built-in, networkable light management for next generation lighting projects
- up to 70% energy savings compared to a conventional solution thanks to constant light control and presence detection
- For universal use for lighting railroad perrons, bike racks, garages etc.
- Through-wiring with accessories Surface-mounted trunking and Wieland RST16I5 plug system
- Variants with 1 and 3 meter length available
- Housing Anodised aluminium
- Swiss Made

neva
lux



elani connect C3000 TW IP64

Product code **221374**


Technical Data

ELECTRICAL		CONNECTIVITY		Suitable for light band configuration	Yes
Replaceable driver	Yes	With radio network control	Yes		
SENSOR TECHNOLOGY		SETTINGS		CERTIFICATES & EPREL	
With motion detector	Yes	DALI dimming	Yes	EPREL energy efficiency class	G
With light sensor	Yes	With emergency light	No		

elani connect C3000 TW IP64

Product code 221374

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221376	elani IP65 APK3000	Cable duct
 221377	elani IP65 APZ	Mounting kit
 221570	Connect TK2 BLM	Pushbutton interface

ORDERING INFORMATION

Art.-Nr.

221374

Typ

elani connect C3000 TW IP64

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss