

L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841059880

- Outdoor light with motion detector for atmospheric lighting around the house
- Glass ball made of mouth-blown crystal glass and base made of UV-resistant plastic
- Automatic light thanks to 240 ° Infrared sensor with up to 12 m detection of movement
- Functions: adjustable basic light, pleasant soft light start, 4 hours continuous light
- With E27 socket for incandescent lamps with max. 60 W (not included)
- Incl. mounting accessories - plastic-free packaging

● steinel

257 x 215 x 330 mm



L 115 S Anthracite

EAN 4007841059880

E27 SENSOR-SWITCHED OUTDOOR LIGHT

Technical Data

DIMENSIONS			
Dimensions L x W x H	257 x 215 x 330 mm		
ELECTRICAL			
Mains connection	230 – 240 V / 50 Hz		
Power	60 W		
Own consumption	0,7 W		
SENSOR TECHNOLOGY			
Max. mounting height	6,00 m		
Sensor technology	passive infrared		
With motion detector	Yes		
Detection angle	240 °		
Opening angle	120 °		
Sneak-under protection	Yes		
Segment-by-segment masking	Yes		
Electronic scalability	No		
Mechanical scalability	No		
Radial range	r = 5 m (52 m²)		
Tangential range	r = 12 m (302 m²)		
Mounting height	1,80 – 6,00 m		
		Optimal mounting height	2 m
		CONNECTIVITY	
		Networking	No
		Slave mode adjustable	No
		LIGHTING TECHNOLOGY	
		With illuminant	No
		Illuminant	All-purpose lamp
		Base	E27
		Soft light start	Yes
		Continuous light	selectable, 4h
		SETTINGS	
		Twilight switch	Yes
		Twilight setting	2 – 1000 lx
		Time setting	5 s – 15 Min.
		Base light function	Yes
		Settings via	Potentiometers
		With remote control	No
		Base light function in percent	0 – 50 %
		Base light function percent from	0 %
		HOUSING & MATERIAL	
		Impact resistance	IK03
		Protection class (IP)	IP44
		Protection class	II
		Ambient temperature	from -20 up to 50 °C
		Housing material	Plastic
		Cover material	Glass transparent
		Cover material (scope of delivery)	shrouds
		Mounting location	wall
		Application location	Outdoors
		Mounting type	Surface wiring
		Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
		Colour	Anthracite
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	3 years


L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Illustrations

TECHNICAL DRAWINGS



257 x 215 x 330 mm

MOUNTING HEIGHT

1,80 – 6,00 m BEREICH	2 m OPTIMAL	6,00 m MAX
--------------------------	----------------	---------------


L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Highlights



Optional basic lighting level 0 - 50 %



UV-resistant plastic



Intelligent soft light start



4-hour manual override (optional)

L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841001681	Ersatzglas für L 115 S	Spare Part

ORDERING INFORMATION

Art.-Nr.

059880

EAN

4007841059880

Typ

L 115 S Anthracite

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss