

IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

neva
lux

EAN 4007841058180

E-Nr. 535944008

● steinel

126 x 65 mm



IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058180

E-Nr. 535944008

Technical Data

IDENTIFICATION			
Version	Motion and Presence Detector	Mounting height	2,50 – 4,00 m
		Presence range	Ø 3 m (7 m²)
		Optimal mounting height	2,8 m
DIMENSIONS		CONNECTIVITY	
Dimensions L x W x H	65 x 95 x 95 mm	Networking	Yes
Dimensions Ø x H	126 x 65 mm	Type of networking	Master/slave
		Networking via	KNX bus
ELECTRICAL		KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
Supply voltage detail	KNX bus	With bus coupler	Yes
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY	
Max. mounting height	4,00 m	Soft light start	Yes
Sensor technology	passive infrared	Continuous light	selectable
With motion detector	Yes	Constant light regulation	Yes
Detection angle	360 °	SETTINGS	
Opening angle	180 °	Twilight switch	Yes
Sneak-under protection	Yes	Twilight setting	2 – 1000 lx
Segment-by-segment masking	Yes	Time setting	5 s – 15 Min.
Electronic scalability	No	Base light function	Yes
Mechanical scalability	No	Main light adjustable	0 - 100 %
Radial range	Ø 8 m (50 m²)		
Tangential range	Ø 40 m (1257 m²)		
Switching zones	1416 switching zones		
		Settings via	ETS software Remote control Bus Smart Remote
		With remote control	No
		Twilight setting teach	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP54
		Ambient temperature	from -20 up to 50 °C
		Mounting location	ceiling
		Application location	Indoors Outdoors
		Mounting type	Surface wiring
		Material	Plastic
		Application room	Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park outdoors production facilities reception / lobby recreation room sports hall stairwell warehouse
		Colour	white
		RAL colour	9003
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		Corner wall bracket included	No

IS 3360 KNX - surface, rd. white


MOTION AND PRESENCE DETECTOR

EAN 4007841058180

E-Nr. 535944008

Illustrations

TECHNICAL DRAWINGS



126 x 65 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR


EAN 4007841058180

E-Nr. 535944008

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls



Smart Remote remote control optional

IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058180
E-Nr. 535944008

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

058180

EAN

4007841058180

E-Number

535944008

Typ

IS 3360 KNX - surface, rd. white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss