

iHF 3D anthrazit

neva
lux

Product code **4007841007591**

E-Nr. **535939400**

- Control unit for adjusting the detection zone along 3 axes
- Control dials behind the designer trim panel
- iHF sensor protected in enclosure
- UV-resistant plastic
- Remote control RC9 included

neva
lux

120 x 117 x 120 mm



iHF 3D anthrazit

Product code **4007841007591**
E-Nr. **535939400**

Technical Data

IDENTIFICATION	
Variant	Anthracite
Version	Motion detectors
DIMENSIONS	
Dimensions L x W x H	120 x 117 x 120 mm
ELECTRICAL	
Mains connection	120 – 250 V , 50 / 60 Hz
Switching output 1 resistive	2000 W
Supply voltage detail	500 VA max., 120 V
SENSOR TECHNOLOGY	
Sensor technology	iHF (intelligent high-frequency technology)
HF technology	5,8 GHz
Detection angle	160 °
Sneak-under protection	Yes

Electronic scalability	Yes
Mechanical scalability	No
Range detail	Detection zone adjustable on 3 axes
Radial range	r = 7 m (68 m²)
Tangential range	r = 7 m (68 m²)
Mounting height	1,80 – 2,00 m
Optimal mounting height	1,8 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/master
LIGHTING TECHNOLOGY	
Constant light regulation	No
SETTINGS	
Twilight setting	2 – 2000 lx

Time setting	10 sec – 30 min
Base light function	No
With remote control	No
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	-20 – 50 °C
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Plastic
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years

iHF 3D anthrazit

Product code **4007841007591**
E-Nr. **535939400**

Illustrations

MOUNTING HEIGHT

1,80 – 2,00 m BEREICH	1,8 m OPTIMAL
--------------------------	------------------

iHF 3D anthrazit

Product code **4007841007591**
E-Nr. **535939400**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841007638	Fernbedienung RC9	Other
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841007591

E-Number

535939400

Typ

iHF 3D anthrazit

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss