# IS 345 MX Highbay COM1 - concealed installation, square

**MOTION DETECTOR**

EAN 4007841033910
E-Nr. 535941560

steinel

94 x 94 x 78 mm



# IS 345 MX Highbay COM1 - concealed installation, square

**MOTION DETECTOR**

EAN **4007841033910**
E-Nr. **535941560**

## Technical Data

### IDENTIFICATION

| | |
|---|---|
| Variant | **COM1 - concealed installation, square** |
| Version | **Motion detectors** |

### DIMENSIONS

| | |
|---|---|
| Dimensions L × W × H | **94 x 94 x 78 mm** |

### ELECTRICAL

| | |
|---|---|
| Mains connection | **230 V / 50 – 60 Hz** |
| Switching output 1 resistive | **2000 W** |
| Switching output 1 number of LED/fluorescent lamps | **8 pcs.** |

### SENSOR TECHNOLOGY

| | |
|---|---|
| Sensor technology | **passive infrared** |
| Detection angle | **360 °** |
| Opening angle | **9 °** |
| Sneak-under protection | **Yes** |
| Segment-by-segment masking | **Yes** |
| Electronic scalability | **No** |
| Mechanical scalability | **No** |
| Radial range | **30 x 4 m (120 m²)** |
| Tangential range | **30 x 4 m (120 m²)** |
| Switching zones | **280 switching zones** |
| Mounting height | **4,0 – 14,0 m** |
| Optimal mounting height | **12,0 m** |

### CONNECTIVITY

| | |
|---|---|
| Networking | **Yes** |

### LIGHTING TECHNOLOGY

| | |
|---|---|
| Constant light regulation | **No** |

### SETTINGS

| | |
|---|---|
| Twilight setting | **2 – 1000 lx** |
| Time setting | **5 s – 15 min** |
| Base light function | **No** |
| With remote control | **No** |
| Twilight setting teach | **Yes** |

### HOUSING & MATERIAL

| | |
|---|---|
| Protection class (IP) | **IP20** |
| Ambient temperature | **-20...+50 °C** |
| Mounting location | **ceiling** |
| Application location | **Indoors** |
| Mounting type | **Concealed mounting** |
| Material | **Plastic** |
| Colour | **White** |
| RAL colour | **9003** |

### SCOPE OF DELIVERY & WARRANTY

| | |
|---|---|
| Manufacturer warranty | **5 years** |

### OTHER

| | |
|---|---|
| Application, location, room | **high-bay warehouse** |

# IS 345 MX Highbay COM1 - concealed installation, square

**MOTION DETECTOR**

EAN **4007841033910**
E-Nr. **535941560**

## Illustrations

**MOUNTING HEIGHT**

| | |
|---|---|
| 4,0 – 14,0 m<br>BEREICH | 12,0 m<br>OPTIMAL |

# IS 345 MX Highbay COM1 - concealed installation, square

MOTION DETECTOR

EAN 4007841033910
E-Nr. 535941560

## Accessories

| | ARTICLE NUMBER | DESCRIPTION | CATEGORY |
|---|---|---|---|
|  | 4007841559410 | **Service Fernbedienung RC8** | Accessory |
|  | 4007841009151 | **Smart Remote** | Accessory |

### ORDERING INFORMATION

| | |
|---|---|
| Art.-Nr. | 4007841033910 |
| EAN | 4007841033910 |
| E-Number | 535941560 |

Typ **IS 345 MX Highbay COM1 - concealed installation, square**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss