XSolar SOL-O Silver

SOLAR LIGHT

EAN 4007841052676
E-Nr. 941200179

- Including STEINEL LED system
- Intelligent soft light start
- High-quality monocrystalline solar panel
- Includes lithium iron-phosphate rechargeable battery
- High-quality aluminium
- House number illumination throughout the night

steinel

91 x 242 x 38 mm



XSolar SOL-O Silver

SOLAR LIGHT

EAN **4007841052676**
E-Nr. **941200179**

Technical Data

DIMENSIONS

Dimensions L × W × H	**91 x 242 x 38 mm**

ELECTRICAL

Power	**0,07 W**
Supply voltage detail	**Solar supply, no mains power required, Lithium-iron-phosphate rechargeable battery 2000 mAh**

SENSOR TECHNOLOGY

Max. mounting height	**2,50 m**
Sensor technology	**Light sensor**
With motion detector	**No**
Mounting height	**1,8 – 2,5 m**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**7 lm**
Colour temperature	**3000 K**
LED colour deviation	**SDCM5**
Colour rendering index	**80 - 89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**Yes**
Efficiency without cover	**100 lm/W**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 lx**
Base light function	**Yes**
Base light function time	**all night**
Functions	**Light sensor**
Settings via	**Potentiometers**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**III**
Ambient temperature	**-20...+40 °C**
Housing material	**Aluminium**
Cover material	**Structured plastic**
Mounting location	**Wall**
Application location	**Outdoors**
Mounting type	**Surface mounting**
Application room	**courtyard & driveway, front door, outdoors**
Colour	**Silver**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

CERTIFICATES & EPREL

Certificates	**GS**


XSolar SOL-O Silver

SOLAR LIGHT

EAN **4007841052676**
E-Nr. **941200179**

Illustrations

TECHNICAL DRAWINGS



91 x 242 x 38 mm

MOUNTING HEIGHT

1,8 – 2,5 m BEREICH	2,50 m MAX

XSolar SOL-O Silver

SOLAR LIGHT

EAN **4007841052676**
E-Nr. **941200179**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841052676
EAN	4007841052676
E-Number	941200179
Typ	**XSolar SOL-O Silver**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss