# RS 160 LED Glas

**SENSOR-SWITCHED INDOOR LIGHT**

EAN 4007841053987
E-Nr. 941000009

- Including STEINEL LED system
- 4-hour manual override (optional)
- High-quality opal glass shade
- Facility for connecting fan

steinel

310 x 125 mm



# RS 160 LED Glas

**SENSOR-SWITCHED INDOOR LIGHT**

EAN **4007841053987**
E-Nr. **941000009**

# Technical Data

## DIMENSIONS

| | |
|---|---|
| Dimensions Ø × H | **310 x 125 mm** |

## ELECTRICAL

| | |
|---|---|
| Mains connection | **230 V / 50 – 60 Hz** |
| Power | **9,5 W** |

## SENSOR TECHNOLOGY

| | |
|---|---|
| Sensor technology | **High frequency** |
| Transmission power | **< 1 mW** |
| With motion detector | **Yes** |
| Detection | **also through glass, wood and stud walls** |
| Detection angle | **360 °** |
| Opening angle | **160 °** |
| Electronic scalability | **Yes** |
| Mechanical scalability | **No** |

## CONNECTIVITY

| | |
|---|---|
| Networking | **Yes** |

## LIGHTING TECHNOLOGY

| | |
|---|---|
| Colour temperature | **3000 K** |
| LED colour deviation | **SDCM3** |
| Colour rendering index | **90 - 100** |
| Illuminant | **LED cannot be replaced** |
| Base | **without** |
| LED cooling system | **Passive Thermo Control** |
| Continuous light | **selectable, 4h** |
| Luminous flux | **1000 lm** |

## LIFETIME

| | |
|---|---|
| LED lifetime max. °C | **50000 h** |
| Luminous flux decline per LM80 | **L70B10** |

## SETTINGS

| | |
|---|---|
| Twilight switch | **Yes** |
| Twilight setting | **2 – 2000 lx** |
| Time setting | **5 s – 15 min** |

## HOUSING & MATERIAL

| | |
|---|---|
| Impact resistance | **IK00** |
| Protection class (IP) | **IP44** |
| Protection class | **II** |
| Ambient temperature | **-10...+40 °C** |
| Housing material | **Glass** |
| Cover material | **Opal glass** |

## SCOPE OF DELIVERY & WARRANTY

| | |
|---|---|
| Manufacturer warranty | **3 years** |

# RS 160 LED Glas

**SENSOR-SWITCHED INDOOR LIGHT**

EAN **4007841053987**
E-Nr. **941000009**

## Accessories

| | ARTICLE NUMBER | DESCRIPTION | CATEGORY |
|---|---|---|---|
|  | 4007841055899 | **L 16 LED Glas** | Indoor light |
|  | 4007841055905 | **L 160 LED Glas** | Indoor light |

**ORDERING INFORMATION**

| | |
|---|---|
| Art.-Nr. | 4007841053987 |
| EAN | 4007841053987 |
| E-Number | 941000009 |
| Typ | **RS 160 LED Glas** |

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss