HF 3360 LiveLink - concealed installation, square

MOTION DETECTOR

EAN 4007841055622
E-Nr. 535939307

steinel

94 x 94 x 64 mm



HF 3360 LiveLink - concealed installation, square

MOTION DETECTOR

EAN 4007841055622
E-Nr. 535939307

Technical Data

IDENTIFICATION

Variant	LiveLink - concealed installation, square
Version	Motion detectors
Model	LiveLink

DIMENSIONS

Dimensions L × W × H	94 x 94 x 64 mm

ELECTRICAL

Mains connection	230 V / 50 – 60 Hz
Livelink values	Light level, Motion detection

SENSOR TECHNOLOGY

Sensor technology	High frequency
HF technology	5,8 GHz
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	140 °
Sneak-under protection	Yes
Electronic scalability	Yes
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 8 m (50 m²)
Mounting height	2,0 – 4,0 m
Optimal mounting height	2,8 m

CONNECTIVITY

Networking	Yes
Number of DALI participants	5

LIGHTING TECHNOLOGY

Constant light regulation	No

SETTINGS

Twilight setting	2 – 1000 lx
Time setting	5 s – 15 min
Base light function	No
Settings via	LiveLink app
With remote control	No
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP20
Ambient temperature	-20...+50 °C
Mounting location	ceiling, corner, wall
Application location	Indoors
Mounting type	Concealed mounting
Material	Plastic
Colour	White
RAL colour	9003

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

OTHER

Application, location, room	side room, stairwell, wc, washroom, multi-storey car park, underground car park, equipment room

HF 3360 LiveLink - concealed installation, square

MOTION DETECTOR

EAN 4007841055622
E-Nr. 535939307

Illustrations

MOUNTING HEIGHT

2,0 – 4,0 m BEREICH	2,8 m OPTIMAL

HF 3360 LiveLink - concealed installation, square

MOTION DETECTOR

EAN **4007841055622**
E-Nr. **535939307**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841055622
EAN	4007841055622
E-Number	535939307
Typ	**HF 3360 LiveLink - concealed installation, square**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss