HF 180 KNX - anthracite

PRESENCE SWITCH

EAN 4007841056025

- Optional adapters made of UV-resistant plastic

steinel

80 x 80 x 21 mm



HF 180 KNX - anthracite

PRESENCE SWITCH

EAN **4007841056025**

Technical Data

IDENTIFICATION

Variant	**KNX - anthracite**
Version	**Presence detector**

DIMENSIONS

Dimensions L × W × H	**80 x 80 x 21 mm**

SENSOR TECHNOLOGY

Sensor technology	**High frequency**
HF technology	**5,8 GHz**
Detection	**also through glass, wood and stud walls**
Detection angle	**180 °**
Opening angle	**140 °**
Sneak-under protection	**Yes**
Electronic scalability	**Yes**
Mechanical scalability	**No**
Radial range	**r = 8 m (101 m²)**
Tangential range	**r = 8 m (101 m²)**
Mounting height	**1,2 – 2,2 m**
Optimal mounting height	**1,2 m**

CONNECTIVITY

With bus coupler	**No**

SETTINGS

Twilight setting	**2 – 1000 lx**
Time setting	**60 s – 255 min**
With remote control	**Yes**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Ambient temperature	**0...+40 °C**
Mounting location	**Wall**
Application location	**Indoors**
Mounting type	**Concealed mounting**
Material	**Plastic**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

OTHER

Application, location, room	**One-person office, corridor, aisle, side room, stairwell, wc, washroom, equipment room**

HF 180 KNX - anthracite

PRESENCE SWITCH

EAN 4007841056025

Illustrations

MOUNTING HEIGHT

1,2 – 2,2 m BEREICH	1,2 m OPTIMAL

HF 180 KNX - anthracite

PRESENCE SWITCH

EAN **4007841056025**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841592912	**Nutzer Fernbedienung RC7 KNX**	Accessory
	4007841593018	**Service Fernbedienung RC6 KNX**	Accessory
	4007841062972	**Adapterrahmen für IR 180 / HF 180 Busch-Jaeger - anthrazit**	Accessory
	4007841062989	**Adapterrahmen für IR 180 / HF 180 Feller - anthrazit**	Accessory
	4007841062996	**Adapterrahmen für IR 180 / HF 180 Jung - anthrazit**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841056025
EAN	4007841056025
Typ	**HF 180 KNX - anthracite**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss