SensIQ S KNX Anthracite

MOTION DETECTOR

EAN 4007841056667
E-Nr. 535940458

- 4x pyro system
- Remote control RC1 included

steinel

128 x 74 x 114 mm



SensIQ S KNX Anthracite

MOTION DETECTOR

EAN **4007841056667**
E-Nr. **535940458**

Technical Data

IDENTIFICATION

Variant	**Anthracite**
Version	**Motion detectors**
Type of accessory	**Corner adapter**
Model	**KNX**

DIMENSIONS

Dimensions L × W × H	**128 x 74 x 114 mm**

SENSOR TECHNOLOGY

Sensor technology	**passive infrared**
Detection angle	**300 °**
Opening angle	**90 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**No**
Mechanical scalability	**Yes**
Range detail	**Reach adjustable from 2 - 20 m in 3 directions (100° in each)**
Radial range	**r = 4 m (42 m²)**
Tangential range	**r = 20 m (1047 m²)**
Switching zones	**1360 switching zones**
Mounting height	**2,0 – 2,5 m**
Optimal mounting height	**2,0 m**

CONNECTIVITY

Networking	**Yes**
With bus coupler	**Yes**

LIGHTING TECHNOLOGY

Constant light regulation	**Yes**

SETTINGS

Twilight setting	**2 – 2000 lx**
Time setting	**5 s – 15 min**
Base light function	**Yes**
Base light function time	**1-255 min**
Settings via	**ETS software**
With remote control	**Yes**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP54**
Ambient temperature	**-20...+50 °C**
Mounting location	**corner, wall**
Application location	**Outdoors**
Mounting type	**Surface mounting**
Material	**Plastic**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

Certificates	**VDE**

SensIQ S KNX Anthracite

MOTION DETECTOR

EAN 4007841056667
E-Nr. 535940458

Illustrations

MOUNTING HEIGHT

2,0 – 2,5 m BEREICH	2,0 m OPTIMAL

SensIQ S KNX Anthracite

MOTION DETECTOR

EAN 4007841056667
E-Nr. 535940458

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841601416	**Fernbedienung RC1**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841056667
EAN	4007841056667
E-Number	535940458
Typ	**SensIQ S KNX Anthracite**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss