RS PRO LED S1 IP65 warm white

SENSOR-SWITCHED LIGHT

EAN 4007841057824
E-Nr. 941000349

- Including STEINEL LED system
- Intelligent LED cooling system
- Optional basic lighting level 10 %
- Wireless interconnection
- High-quality aluminium
- Impact-resistant material rated to IK10
- Optional remote control

300 x 71 mm



RS PRO LED S1 IP65 warm white

SENSOR-SWITCHED LIGHT

EAN 4007841057824
E-Nr. 941000349

Technical Data

IDENTIFICATION

Variant	warm white

DIMENSIONS

Dimensions Ø × H	300 x 71 mm

ELECTRICAL

Mains connection	230 V / 50 – 60 Hz
Power	15 W

SENSOR TECHNOLOGY

Sensor technology	High frequency
Transmission power	< 1 mW
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Electronic scalability	Yes
Mechanical scalability	No

CONNECTIVITY

Slave mode adjustable	Yes

LIGHTING TECHNOLOGY

Colour temperature	3000 K
LED colour deviation	SDCM3
Colour rendering index	80 - 89
With illuminant	Yes
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Active and Passive Thermo Control
Soft light start	Yes
Continuous light	selectable
Luminous flux	1092 lm

LIFETIME

LED lifetime max. °C	70000 h
Luminous flux decline per LM80	L80B10

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	5 s – 15 min
Base light function	Yes
Base light function time	10/30 min, all night
Functions	Manual ON / ON-OFF, Group parameterisation, Neighbouring-light function, Presence function
Settings via	Potentiometers, DIP switches, Remote control
With remote control	No

HOUSING & MATERIAL

Impact resistance	IK10
Protection class (IP)	IP65
Protection class	II
Ambient temperature	-10...+50 °C
Housing material	Aluminium
Cover material	Opal plastic

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

RS PRO LED S1 IP65 warm white

SENSOR-SWITCHED LIGHT

EAN **4007841057824**
E-Nr. **941000349**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841009151	**Smart Remote**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841057824
EAN	4007841057824
E-Number	941000349
Typ	**RS PRO LED S1 IP65 warm white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss