

IS 3360 40m KNX - surface, rd. black

PRESENCE DETECTOR

neva
lux

EAN 4007841068585

E-Nr. 535918149

● steinel

126 x 65 mm



IS 3360 40m KNX - surface, rd. black

PRESENCE DETECTOR

EAN 4007841068585

E-Nr. 535918149

Technical Data

IDENTIFICATION	
Version	Motion and Presence Detector
DIMENSIONS	
Dimensions L x W x H	65 x 95 x 95 mm
Dimensions Ø x H	126 x 65 mm
ELECTRICAL	
Supply voltage detail	KNX bus
SENSOR TECHNOLOGY	
Max. mounting height	4,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 40 m (1257 m²)

Switching zones	1416 switching zones
Mounting height	2,50 – 4,00 m
Presence range	Ø 3 m (7 m²)
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/slave
Networking via	KNX bus
KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Continuous light	selectable
Constant light regulation	Yes
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes

Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park outdoors production facilities reception / lobby recreation room sports hall stairwell warehouse
Colour	black
RAL colour	9005
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No


IS 3360 40m KNX - surface, rd. black

PRESENCE DETECTOR

EAN 4007841068585
E-Nr. 535918149

Illustrations

TECHNICAL DRAWINGS



126 x 65 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 40m KNX - surface, rd. black

EAN 4007841068585


E-Nr. 535918149

PRESENCE DETECTOR

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls




Smart Remote remote control optional

IS 3360 40m KNX - surface, rd. black

PRESENCE DETECTOR

EAN 4007841068585
E-Nr. 535918149

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841009151	Smart Remote	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

068585

EAN

4007841068585

E-Number

535918149

Typ

IS 3360 40m KNX - surface, rd. black

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss