DALI128 KNX-S DALI gateway 2-fold

SYSTEM COMPONENTS

EAN 4007841089214

- DALI gateway 2-gang for top-hat rail mounting
- Control of up to 2 x 64 DALI devices in max. 2 x 32 groups
- Setting of colour temperature or light colour (RGB, RGBW) for luminaires with DALI device type 8 according to IEC 62386-209
- Individual, group or central addressing
- Mounting width 72mm (4 rail units)
- 5-year product guarantee, KNX Data Secure

steinel

90 x 71 x 58 mm



DALI128 KNX-S DALI gateway 2-fold

EAN 4007841089214

SYSTEM COMPONENTS

Technical Data

DIMENSIONS

Dimensions L × W × H	90 x 71 x 58 mm

ELECTRICAL

Mains connection	110 – 240 V / 50 – 60 Hz
Control output DALI	Addressable 64 EVGs

CONNECTIVITY

Number of DALI participants	128
With bus coupler	Yes
Control technology	On/Off-Leuchte

HOUSING & MATERIAL

Protection class (IP)	IP20
Protection class	II
Ambient temperature	from -5 up to 45 °C
Mounting type	DRA
Material	Plastic
Colour	grey

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

DALI128 KNX-S DALI gateway 2-fold

SYSTEM COMPONENTS

EAN 4007841089214

Accessories

ORDERING INFORMATION

Art.-Nr.	089214
EAN	4007841089214
Typ	**DALI128 KNX-S DALI gateway 2-fold**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss