

sensIQ KNX inox

neva
lux

Product code **4007841029616**

- Remote control RC9 included
- 4x pyro system
- Suitable for mounting on ceilings
- UV-resistant plastic
- Including corner wall mount

neva
lux

144 x 113 x 172 mm



Technical Data

IDENTIFICATION		Range detail		Time setting	
Variant	inox	Reach adjustable from 2 - 20 m in 3 directions (100° in each)		60 sec – 255 min	
Version	Motion detectors	Radial range	r = 20 m (1047 m²)	Base light function	Yes
Type of accessory	Corner adapter	Tangential range	r = 20 m (1047 m²)	Base light function time	1-255 min
Model	KNX	Switching zones	1360 switching zones	Settings via	ETS software, Remote control, Bus
DIMENSIONS		Mounting height	2,00 – 5,00 m	With remote control	Yes
Dimensions L x W x H	144 x 113 x 172 mm	Optimal mounting height	2 m	Twilight setting teach	Yes
ELECTRICAL		CONNECTIVITY		HOUSING & MATERIAL	
Supply voltage detail	KNX bus	Networking	Yes	Protection class (IP)	IP54
SENSOR TECHNOLOGY		KNX functions	Light output 2x, Presence output, Light level, Constant-lighting control, Basic light level function, Photo-cell controller, Close range, Individual pyro evaluation	Ambient temperature	-20 – 50 °C
Sensor technology	passive infrared	With bus coupler		Mounting location	ceiling corner wall
Detection angle	300 °	LIGHTING TECHNOLOGY		Application location	Indoors Outdoors
Opening angle	90 °	Constant light regulation		Mounting type	Surface wiring
Sneak-under protection	Yes	SETTINGS		Material	Plastic
Segment-by-segment masking	Yes	Twilight setting		Colour	Stainless steel
Electronic scalability	No	2 – 2000 lx		SCOPE OF DELIVERY & WARRANTY	
Mechanical scalability	Yes			Manufacturer warranty	5 years
				CERTIFICATES & EPREL	
				Certificates	VDE

sensIQ KNX inox

Product code **4007841029616**

Illustrations

MOUNTING HEIGHT

2,00 – 5,00 m BEREICH	2 m OPTIMAL
---	-----------------------------------

sensIQ KNX inox

Product code **4007841029616**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841007638	Fernbedienung RC9	Other

ORDERING INFORMATION

Art.-Nr.

4007841029616

Typ

sensIQ KNX inox

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss