

My L 40 SC with motion detector & Bluetooth

neva
lux

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088408

Note: This product is only sold in the German STEINEL Online Shop

- Individual house number lighting. Outdoor light with motion detector and high-quality, square aluminium housing
- Your luminaire is already delivered to your home with your desired house number. The Premium house number version with stainless steel-look trim and punched-out house number
- Sensor coloured in inconspicuous housing colour, the detection area can be individually limited by cover clips
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Functions: adjustable basic and main light, pleasant soft light start, continuous light, scheduling function
- Warm white light (3000 K) and long-life 12,9 W LEDs with 930 lm

 **steinel**

105 x 201 x 261 mm



My L 40 SC with motion detector & Bluetooth

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088408

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		Twilight setting teach		Yes
Type of accessory	Other	Measured luminous flux 360°	930 lm	Base light function in percent	5 – 100 %	
DIMENSIONS		Efficiency	72,1 lm/W	Base light function percent from	5 %	
Dimensions L x W x H	105 x 201 x 261 mm	Colour temperature	3000 K	HOUSING & MATERIAL		
ELECTRICAL		Colour rendering index	= 82	Impact resistance	IK03	
Mains connection	220 – 240 V / 50 – 60 Hz	With illuminant	Yes, STEINEL LED system	Protection class (IP)	IP54	
Power	12,9 W	Illuminant	LED cannot be replaced	Protection class	I	
SENSOR TECHNOLOGY		Base	without	Ambient temperature	from -20 up to 40 °C	
Max. mounting height	2,50 m	LED cooling system	Passive Thermo Control	Housing material	Aluminium	
Sensor technology	passive infrared	Soft light start	Yes	Cover material	Plastic, opal	
With motion detector	Yes	Continuous light	selectable	Cover material (scope of delivery)	Cover clips	
Detection angle	180 °	LIFETIME		Mounting location	wall	
Electronic scalability	No	LED lifetime L70B50 25°C	> 60000 h	Application location	Outdoors	
Mechanical scalability	Yes	Average rated power supply lifetime at 25 °C	> 60000 h	Mounting type	Surface wiring	
Radial range	r = 4 m (25 m²)	SETTINGS		Material	Aluminium	
Tangential range	r = 10 m (157 m²)	Twilight switch	Yes	Application room	all round the building front door outdoors terrace / balcony	
Mounting height	1,80 – 2,50 m	Twilight setting	2 – 2000 lx	Colour	Anthracite	
Optimal mounting height	2 m	Time setting	5 s – 60 Min.	SCOPE OF DELIVERY & WARRANTY		
CONNECTIVITY		Base light function	Yes	Manufacturer warranty	3 years	
Networking	Yes	Base light function time	10s-60 min Brightness-controlled OFF Permanently ON	House number sheet included	No	
Type of networking	Master/master Master/slave	Main light adjustable	5 - 100 %	CERTIFICATES & EPREL		
Networking via	Bluetooth Mesh	Settings via	Smartphone Tablet Bluetooth Mesh	EPREL category	Surrounded product with integrated light source	
Slave mode adjustable	Yes	With remote control	No			


My L 40 SC with motion detector & Bluetooth

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088408

Illustrations

TECHNICAL DRAWINGS



105 x 201 x 261 mm

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--------------------------	----------------	---------------


My L 40 SC with motion detector & Bluetooth

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088408


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2



Circuit diagram Bluetooth

My L 40 SC with motion detector & Bluetooth

EAN 4007841088408

SENSOR-SWITCHED LED OUTDOOR LIGHT


Highlights



Including STEINEL LED system




Intelligent soft light start




High-quality aluminium



LED ambient light



Interconnectable and adjustable via Bluetooth



Operatable via app



Adjustable main and basic light brightness
(5 - 100%)

My L 40 SC with motion detector & Bluetooth

EAN 4007841088408

SENSOR-SWITCHED LED OUTDOOR LIGHT

Accessories

ORDERING INFORMATION

Art.-Nr. 088408

EAN 4007841088408

Typ My L 40 SC with motion detector & Bluetooth

neva
luxnevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss