

L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

neva
lux

EAN 4007841065782

E-Nr. 941200659

- Outdoor light with twilight sensor and pleasant ambient light on the house wall
- High-quality stainless steel trim as well as UV-resistant, impact-resistant material according to IK07 for a long service life
- Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- Adjustable night-saving mode: the luminaire switches off for 0-7 hours at night and comes back on after the time has elapsed
- With E27 socket for incandescent lamps with max. 60 W as well as for energy-saving lamps or LED bulbs with max. 20 W (not included in the scope of delivery)
- Incl. mounting accessories - plastic-free packaging

● steinel

81 x 162 x 280 mm



L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782

E-Nr. 941200659

Technical Data

DIMENSIONS	
Dimensions L x W x H	81 x 162 x 280 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	60 W
SENSOR TECHNOLOGY	
Sensor technology	Light sensor
With motion detector	No
Sneak-under protection	No
Segment-by-segment masking	No
Electronic scalability	No
Mechanical scalability	No
CONNECTIVITY	
Networking	No

Slave mode adjustable	No
LIGHTING TECHNOLOGY	
With illuminant	No
Illuminant	All-purpose lamp
Base	E27
Soft light start	No
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 50 lx
Base light function	No
Settings via	Potentiometers
With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Impact resistance	IK07

Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Stainless steel
Cover material	Plastic, opal
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	No

L 22 N Anthracite


PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782

E-Nr. 941200659

Illustrations

TECHNICAL DRAWINGS



81 x 162 x 280 mm

L 22 N Anthracite


PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782

E-Nr. 941200659

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782

E-Nr. 941200659

Highlights



Impact-resistant material rated to IK07



High-quality designer trim panel in stainless steel

L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782

E-Nr. 941200659

Accessories

ORDERING INFORMATION	
Art.-Nr.	065782
EAN	4007841065782
E-Number	941200659
Typ	L 22 N Anthracite

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss