

RS PRO 5100 SC mit Bewegungsmelder & Bluetooth Verso

neva
lux**RS PRO 5100 UND 5150****Product code 221392****E-Nr. 941006359**

- Including STEINEL LED system
- Interconnectable and adjustable via Bluetooth
- Impact-resistant material rated to IK07
- Optional basic lighting level 10 - 50 %
- Optional main light level 50 - 100%
- Adjustable mounts for easy installation

neva
lux

1370 x 87 x 58 mm



RS PRO 5100 SC mit Bewegungsmelder & Bluetooth Verso

Product code 221392
E-Nr. 941006359

RS PRO 5100 UND 5150

Technical Data

DIMENSIONS		LIGHTING TECHNOLOGY		Settings via	Bluetooth
Dimensions L x W x H	1370 x 87 x 58 mm	Measured luminous flux 360°	4250 lm	Base light function in percent	10 – 100 %
ELECTRICAL		Colour temperature	4000 K	Base light function percent from	10 %
Mains connection	220 – 240 V / 50 – 60 Hz	LED colour deviation	SDCM3	HOUSING & MATERIAL	
Power	31 W	Colour rendering index	80-89	Impact resistance	IK07
Own consumption	0,41 W	With illuminant	Yes, LED lamp	Protection class (IP)	IP66
SENSOR TECHNOLOGY		Illuminant	LED cannot be replaced	Protection class	II
Max. mounting height	3,50 m	LED cooling system	Passive Thermo Control	Ambient temperature	-20 – 40 °C
Sensor technology	High frequency	LIFETIME		Housing material	Plastic
Transmission power	< 1 mW	LED lifetime max. °C	60000 h	Cover material	Plastic, structured
With motion detector	Yes	LED lifetime L70B50 25°C	> 60000 h	Colour	grey
Detection angle	360 °	Luminous flux decline per LM80	L80B10	SCOPE OF DELIVERY & WARRANTY	
Opening angle	160 °	SETTINGS		Manufacturer warranty	5 years
Electronic scalability	Yes	Twilight setting	2 – 2000 lx	CERTIFICATES & EPREL	
Mounting height	3,5 m	Time setting	5 sec – 60 min	Certificates	DEKRA
CONNECTIVITY		Base light function	Yes	EPREL category	Surrounded product with integrated light source
Networking	Yes	Base light function time	1-60 min		
		Main light adjustable	10 - 100 %		

RS PRO 5100 SC mit Bewegungsmelder & Bluetooth Verso

RS PRO 5100 UND 5150

Product code 221392
E-Nr. 941006359

Illustrations

MOUNTING HEIGHT

3,5 m BEREICH	3,50 m MAX
------------------	---------------

RS PRO 5100 SC mit Bewegungsmelder & Bluetooth Verso

RS PRO 5100 UND 5150

Product code 221392
E-Nr. 941006359

Accessories

ORDERING INFORMATION	
Art.-Nr.	221392
E-Number	941006359
Typ	RS PRO 5100 SC mit Bewegungsmelder & Bluetooth Verso
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	