NightmatIQ white

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841087593

- Control unit with light sensor for automatic night-time illumination of advertising structures
- Straightforward, flat design made of UV-resistant material
- 0-10V or PWM switchable
- Brightness-dependent dimming and switching: the darker, the more dimming
- Time-dependent switching
- Setting via Steinel Connect app

steinel

38 x 95 x 95 mm



NightmatIQ white

PHOTO-CELL-CONTROLLED LIGHT

EAN **4007841087593**

Technical Data

IDENTIFICATION

Version	**Photo-cell controller**

DIMENSIONS

Dimensions L × W × H	**38 x 95 x 95 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Master/master**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Soft light start	**Yes**
Continuous light	**selectable**
Constant light regulation	**No**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Base light function	**No**
Main light adjustable	**0 - 100 %**
Functions	**Light sensor Neighbouring group function Night economy mode Push button configuration Timer Dimmkurve individuell einstellbar Adjustable fade time when switching on and off Lighting scenario Normal / test mode Umschaltbar zwsichen 0-10V und PWM**
Settings via	**Bluetooth Mesh App Tablet Smartphone**
With remote control	**No**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP54**
Housing material	**Plastic**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Plastic**
Application room	**Indoors all round the building courtyard & driveway front door outdoors terrace / balcony**
Colour	**white**
RAL colour	**9003**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**
Corner wall bracket included	**No**


NightmatIQ white

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841087593

Illustrations

TECHNICAL DRAWINGS



38 x 95 x 95 mm


NightmatIQ white

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841087593

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

NightmatIQ white

PHOTO-CELL-CONTROLLED LIGHT

EAN **4007841087593**

Accessories

ORDERING INFORMATION

Art.-Nr.	087593
EAN	4007841087593
Typ	**NightmatIQ white**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss