nayo P 4K

PENDANT LUMINAIRE DIRECT/INDIRECT, LINKABLE

Product code **220175**

- Focused light for conference rooms, counters, workplaces
- High luminaire efficiency with 130 lm / W
- Ideal for narrow beam illumination
- Direct and indirect light distribution
- Deeply recessed, absolutely glare-free optics (UGR < 10)
- Link technology for seamless extension of luminaire with plugs
- Dimmable DALI, LiveLink compatible
- Housing Aluminium RAL9016, white

1190 x 160 x 30 mm



nayo P 4K

PENDANT LUMINAIRE DIRECT/INDIRECT, LINKABLE

Product code **220175**

Technical Data

DIMENSIONS

Dimensions L × W × H	**1190 x 160 x 30 mm**
Suspension length	**1500 mm**

ELECTRICAL

Mains connection	**200…240 V / 50 – 60 Hz**
Power	**60 W**
Replaceable driver	**Yes**
Type of wiring	**Through wiring included**

SENSOR TECHNOLOGY

With motion detector	**No**
With light sensor	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**
Networking via	**DALI 2**

LIGHTING TECHNOLOGY

Colour temperature	**4000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
Illuminant	**LED**
Luminous flux	**6700 lm (Down 3400, Up 3300)**
Beam angle	**Down 50°, Up 115°**
Luminaire luminous efficacy	**112 lm/W**
Glare value	**UGR < 10**

LIFETIME

LED lifespan (25 °C)	**50000 h**

SETTINGS

DALI dimming	**Yes**
With emergency light	**No**
Suitable for light band configuration	**Yes**
Direct/indirect ratio separately controllable	**No**
Constant light output control	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP20**
Protection class	**I**
Ambient temperature	**-20…45 °C**
Housing material	**Aluminum**
Cover material	**Darklight Optics**
Mounting type	**Ceiling pendant**
Colour	**white**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

EPREL energy efficiency class	**E**


nayo P 4K

PENDANT LUMINAIRE DIRECT/INDIRECT, LINKABLE

Product code **220175**

Illustrations

TECHNICAL DRAWINGS



1190 x 160 x 30 mm


nayo P 4K

PENDANT LUMINAIRE DIRECT/INDIRECT, LINKABLE

Product code **220175**

Wiring Diagrams

WIRING DIAGRAM 1



Wiring diagram

nayo P 4K

PENDANT LUMINAIRE DIRECT/INDIRECT, LINKABLE

Product code **220175**

Accessories

ORDERING INFORMATION

Art.-Nr.	220175
Typ	**nayo P 4K**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss