Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057411
E-Nr. 535900030

steinel

42 x 95 x 95 mm



Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057411**
E-Nr. **535900030**

Technical Data

IDENTIFICATION

Version	**Constant-lighting controller**

DIMENSIONS

Dimensions L × W × H	**42 x 95 x 95 mm**

ELECTRICAL

Mains connection	**12 – 22,5 V**
Supply voltage detail	**DALI bus**
Control output DALI	**Addressable/slave**

SENSOR TECHNOLOGY

Max. mounting height	**4,00 m**
Sensor technology	**Light sensor**
With motion detector	**No**
Mounting height	**2,00 – 4,00 m**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Master/slave**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Soft light start	**No**
Constant light regulation	**No**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 1000 lx**
Base light function	**No**
Main light adjustable	**No**
Settings via	**Bus**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP54**
Ambient temperature	**from -20 up to 50 °C**
Mounting location	**ceiling wall**
Application location	**Indoors Outdoors**
Mounting type	**Surface wiring**
Material	**Plastic**
Application room	**Indoors classroom conference room / meeting room high-bay warehouse one-person office open-plan office**
Colour	**white**
RAL colour	**9003**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**
Corner wall bracket included	**No**

CERTIFICATES & EPREL

Certificates	**DALI-2**


Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057411**
E-Nr. **535900030**

Illustrations

TECHNICAL DRAWINGS



42 x 95 x 95 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	4,00 m MAX


Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057411**
E-Nr. **535900030**

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Light Sensor Dual DALI-2 Input Device - surface, sq.


PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057411**
E-Nr. **535900030**

Highlights



UV-resistant plastic



Large terminal compartment

Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057411**
E-Nr. **535900030**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841009151	**Smart Remote**	Accessory
	4007841056711	**Schwarze Blende für IR-Sensoren Aufputz eckig**	Accessory

ORDERING INFORMATION

Art.-Nr.	057411
EAN	4007841057411
E-Number	535900030
Typ	**Light Sensor Dual DALI-2 Input Device - surface, sq.**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss