

# IR Micro LiveLink



Product code 4007841009748

E-Nr. 535941960

neva  
lux

80 x 21 mm



IR Micro LiveLink

Product code **4007841009748**  
E-Nr. **535941960**

Technical Data

|                        |                               |                             |                     |                              |                                            |
|------------------------|-------------------------------|-----------------------------|---------------------|------------------------------|--------------------------------------------|
| IDENTIFICATION         |                               |                             |                     |                              |                                            |
| Variant                | LiveLink                      | Electronic scalability      | No                  | With remote control          | No                                         |
| Version                | Presence detector             | Mechanical scalability      | No                  | Twilight setting teach       | Yes                                        |
| Model                  | LiveLink                      | Radial range                | 4 x 4 m (16 m²)     | HOUSING & MATERIAL           |                                            |
| DIMENSIONS             |                               | Tangential range            | 6 x 6 m (36 m²)     | Protection class (IP)        | IP20                                       |
| Dimensions Ø x H       | 80 x 21 mm                    | Switching zones             | 168 switching zones | Ambient temperature          | 0 – 40 °C                                  |
| ELECTRICAL             |                               | Mounting height             | 2,00 – 4,00 m       | Mounting location            | ceiling                                    |
| Mains connection       | 16 V                          | Presence range              | 4 x 4 m (16 m²)     | Application location         | Indoors                                    |
| Supply voltage detail  | DALI bus                      | Optimal mounting height     | 2,8 m               | Mounting type                | Concealed wiring                           |
| Control output DALI    | Addressable/slave             | CONNECTIVITY                |                     | Material                     | Plastic                                    |
| Livelink values        | Light level, Motion detection | Networking                  | Yes                 | Colour                       | white                                      |
| SENSOR TECHNOLOGY      |                               | Number of DALI participants | 2                   | RAL colour                   | 9010                                       |
| Sensor technology      | passive infrared              | SETTINGS                    |                     | SCOPE OF DELIVERY & WARRANTY |                                            |
| Detection angle        | 360 °                         | Twilight setting            | 2 – 2000 lx         | Manufacturer warranty        | 5 years                                    |
| Opening angle          | 160 °                         | Time setting                | 60 sec – 60 min     | OTHER                        |                                            |
| Sneak-under protection | Yes                           | Settings via                | LiveLink app        | Application, location, room  | One-person office, side room, washroom, wc |

IR Micro LiveLink

Product code **4007841009748**  
E-Nr. **535941960**

Illustrations

MOUNTING HEIGHT

|                          |                  |
|--------------------------|------------------|
| 2,00 – 4,00 m<br>BEREICH | 2,8 m<br>OPTIMAL |
|--------------------------|------------------|

IR Micro LiveLink

Product code **4007841009748**  
E-Nr. **535941960**

Accessories

|                                                                                                                                    |                   |
|------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| ORDERING INFORMATION                                                                                                               |                   |
| Art.-Nr.                                                                                                                           | 4007841009748     |
| E-Number                                                                                                                           | 535941960         |
| Typ                                                                                                                                | IR Micro LiveLink |
| <div><div>nevalux</div><div>nevalux AG<br/>Neugrütstrasse 2<br/>8610 Uster<br/>+41 44 508 78 78<br/>info@nevalux.swiss</div></div> |                   |