XLED Protect without motion detector - white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841090005

- Wide-angle panoramic lighting: outdoor spotlight with three bright LED light surfaces
- High light output: 13,6 W and 1642 lm for powerful, warm white light (3000 K)
- Flexible alignment: LED panel can be fully rotated, tilted and locked for precise lighting
- Robust: IP54 classification and IK03 construction for high resistance
- Durable: 5-year STEINEL guarantee
- Simple installation: Incl. mounting accessories - plastic-free packaging

steinel

195 x 195 x 174 mm



XLED Protect without motion detector - white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841090005

Technical Data

DIMENSIONS

Dimensions L × W × H	195 x 195 x 174 mm

ELECTRICAL

Mains connection	220 – 240 V / 50 – 60 Hz
Power	13,6 W

SENSOR TECHNOLOGY

With motion detector	No

CONNECTIVITY

Networking	No
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Measured luminous flux 360°	1642 lm
Colour temperature	3000 K
Colour rendering index	= 82
With illuminant	Yes, LED lamp
Illuminant	LED cannot be replaced
Soft light start	No
Constant light regulation	No

LIFETIME

LED lifetime L70B50 25°C	> 60000 h

SETTINGS

Twilight switch	No
Base light function	No
Main light adjustable	No

HOUSING & MATERIAL

Impact resistance	IK03
Protection class (IP)	IP54
Protection class	II
Ambient temperature	from -20 up to 40 °C
Cover material	Plastic, opal
Mounting location	corner wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door garden terrace / balcony
Colour	white

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	No

CERTIFICATES & EPREL

Certificates	DEKRA
EPREL energy efficiency class	E
EPREL category	Light source


XLED Protect without motion detector - white

EAN 4007841090005

LED FLOODLIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



195 x 195 x 174 mm


XLED Protect without motion detector - white

EAN 4007841090005

LED FLOODLIGHT WITHOUT SENSOR

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

XLED Protect without motion detector - white

EAN 4007841090005

LED FLOODLIGHT WITHOUT SENSOR

Highlights



180° panorama light



UV resistant material



Colour rendering index Ra ≥82



Including STEINEL LED system

XLED Protect without motion detector - white

EAN 4007841090005

LED FLOODLIGHT WITHOUT SENSOR

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841053086	**Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse graphit**	Accessory
	4007841055875	**Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz**	Accessory
	4007841055615	**Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse weiss**	Accessory

ORDERING INFORMATION

Art.-Nr.	090005
EAN	4007841090005
Typ	**XLED Protect without motion detector - white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss