

Light Sensor Dual DALI-2 Input Device - surface, sq.

neva
lux**PHOTOELECTRIC LIGHTING CONTROLLER**

EAN 4007841057411

E-Nr. 535900030



42 x 95 x 95 mm



Light Sensor Dual DALI-2 Input Device - surface, sq.

EAN 4007841057411
E-Nr. 535900030

PHOTOELECTRIC LIGHTING CONTROLLER

Technical Data

IDENTIFICATION		Type of networking		Master/slave	Mounting location	ceiling wall
Version	Constant-lighting controller	Networking via	DALI bus		Application location	Indoors Outdoors
DIMENSIONS		LIGHTING TECHNOLOGY			Mounting type	Surface wiring
Dimensions L x W x H	42 x 95 x 95 mm	Soft light start	No		Material	Plastic
ELECTRICAL		Constant light regulation	No		Application room	Indoors classroom conference room / meeting room high-bay warehouse one-person office open-plan office
Mains connection	12 – 22,5 V	SETTINGS			Colour	white
Supply voltage detail	DALI bus	Twilight switch	Yes		RAL colour	9003
Control output DALI	Addressable/slave	Twilight setting	2 – 1000 lx		SCOPE OF DELIVERY & WARRANTY	
SENSOR TECHNOLOGY		Base light function	No		Manufacturer warranty	5 years
Max. mounting height	4,00 m	Main light adjustable	No		Corner wall bracket included	No
Sensor technology	Light sensor	Settings via	Bus		CERTIFICATES & EPREL	
With motion detector	No	Twilight setting teach	Yes		Certificates	DALI-2
Mounting height	2,00 – 4,00 m	HOUSING & MATERIAL				
CONNECTIVITY		Protection class (IP)	IP54			
Networking	Yes	Ambient temperature	from -20 up to 50 °C			


Light Sensor Dual DALI-2 Input Device - surface, sq.

EAN 4007841057411
E-Nr. 535900030

PHOTOELECTRIC LIGHTING CONTROLLER

Illustrations

TECHNICAL DRAWINGS



42 x 95 x 95 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	4,00 m MAX
--------------------------	---------------


Light Sensor Dual DALI-2 Input Device - surface, sq.

EAN 4007841057411
E-Nr. 535900030

PHOTOELECTRIC LIGHTING CONTROLLER

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER


EAN 4007841057411

E-Nr. 535900030

Highlights



UV-resistant plastic



Large terminal compartment

Light Sensor Dual DALI-2 Input Device - surface, sq.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057411

E-Nr. 535900030

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

057411

EAN

4007841057411

E-Number

535900030

Typ

Light Sensor Dual DALI-2 Input Device - surface, sq.

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss