

IR Quattro SLIM DIM

neva
lux

Product code **4007841593612**

- Extremely slim overall height
- High-quality retina lens
- Can only be set by optional remote control RC8

neva
lux

77 x 77 x 60 mm



IR Quattro SLIM DIM

Product code **4007841593612**

Technical Data

IDENTIFICATION					
Variant	DIM	Electronic scalability	No	Base light function	Yes
Version	Presence detector	Mechanical scalability	No	With remote control	No
DIMENSIONS		Range detail	Retina lens and hexagonal Fresnel structure	Twilight setting teach	Yes
Dimensions L x W x H	77 x 77 x 60 mm	Radial range	4 x 4 m (16 m²)	HOUSING & MATERIAL	
ELECTRICAL		Tangential range	4 x 4 m (16 m²)	Protection class (IP)	IP20
Mains connection	120 – 250 V , 50 / 60 Hz	Switching zones	260 switching zones	Ambient temperature	0 – 40 °C
Switching output 1 resistive	2000 W	Mounting height	2,50 – 4,00 m	Mounting location	ceiling
Supply voltage detail	500 VA max., 120 V	Presence range	4 x 4 m (16 m²)	Application location	Indoors
Number of ECGs DIM interface	50	Optimal mounting height	2,8 m	Mounting type	Installation
SENSOR TECHNOLOGY		CONNECTIVITY		Material	Plastic
Sensor technology	passive infrared	Networking	Yes	Colour	white
Detection angle	360 °	Type of networking	Master/slave, Master/master	RAL colour	9010
Sneak-under protection	Yes	LIGHTING TECHNOLOGY		SCOPE OF DELIVERY & WARRANTY	
Segment-by-segment masking	No	Constant light regulation	Yes	Manufacturer warranty	5 years
		SETTINGS		OTHER	
		Twilight setting	100 – 1000 lx	Application, location, room	One-person office, classroom, side room
		Time setting	30 sec – 30 min		

IR Quattro SLIM DIM

Product code 4007841593612

Illustrations

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

IR Quattro SLIM DIM

Product code 4007841593612

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841592806	Nutzer Fernbedienung RC5	Accessory
 4007841559410	Service Fernbedienung RC8	Accessory
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841593612

Typ

IR Quattro SLIM DIM

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss