

NightMatic 2000 white

PHOTOELECTRIC LIGHTING CONTROLLER

neva
lux

EAN 4007841550417

E-Nr. 535902020

- Photo-cell controller for automatic night-time illumination of house fronts, gardens, shop windows and other areas
- Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- The twilight value can be individually adjusted from 2 - 30 lux ambient brightness via potentiometer
- Incl. mounting accessories - plastic-free packaging

● steinel

37 x 74 x 99 mm



NightMatic 2000 white

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841550417
E-Nr. 535902020

Technical Data

IDENTIFICATION		CONNECTIVITY		HOUSING & MATERIAL	
Version	Photo-cell controller	Networking	Yes	Protection class (IP)	IP54
DIMENSIONS		Type of networking	Master/master	Ambient temperature	from -20 up to 50 °C
Dimensions L x W x H	37 x 74 x 99 mm	Networking via	Cable	Mounting location	wall
ELECTRICAL		LIGHTING TECHNOLOGY		Application location	Outdoors
Mains connection	230 – 240 V / 50 Hz	Soft light start	No	Mounting type	Surface wiring
Power	1000 W	Continuous light	selectable	Material	Plastic
Switching output 1 resistive	1000 W	Constant light regulation	No	Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Fluorescent lamps uncompensated	500 VA	SETTINGS		Colour	white
Capacitive load in µF	88 µF	Twilight switch	Yes	RAL colour	9010
Own consumption	0,8 W	Twilight setting	2 – 30 lx	SCOPE OF DELIVERY & WARRANTY	
Switching output 1 number of LED/fluorescent lamps	4 pcs.	Base light function	No	Manufacturer warranty	3 years
SENSOR TECHNOLOGY		Main light adjustable	No	Corner wall bracket included	No
Sensor technology	Light sensor	Settings via	Potentiometers		
		Twilight setting teach	No		

NightMatic 2000 white


PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841550417

E-Nr. 535902020

Illustrations

TECHNICAL DRAWINGS



37 x 74 x 99 mm

NightMatic 2000 white


PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841550417

E-Nr. 535902020

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

NightMatic 2000 white

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841550417

E-Nr. 535902020

Highlights



UV-resistant plastic

NightMatic 2000 white

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841550417
E-Nr. 535902020

Accessories

ORDERING INFORMATION	
Art.-Nr.	550417
EAN	4007841550417
E-Number	535902020
Typ	NightMatic 2000 white

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss