
IR Quattro MICRO 6m KNX - white

PRESENCE DETECTOR

EAN 4007841064129
E-Nr. 535934808

steinel

43 x 71 mm



IR Quattro MICRO 6m KNX - white

PRESENCE DETECTOR

EAN **4007841064129**
E-Nr. **535934808**

Technical Data

IDENTIFICATION

Version	**Presence detector**

DIMENSIONS

Dimensions L × W × H	**71 x 43 x 43 mm**
Dimensions Ø × H	**43 x 71 mm**

ELECTRICAL

Mains connection	**30 V**
Own consumption	**0,5 W**
Supply voltage detail	**KNX bus**

SENSOR TECHNOLOGY

Max. mounting height	**5,00 m**
Sensor technology	**passive infrared**
With motion detector	**Yes**
Detection angle	**360 °**
Opening angle	**90 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**No**
Electronic scalability	**No**
Mechanical scalability	**No**
Radial range	**4 x 4 m (16 m²)**
Tangential range	**6 x 6 m (36 m²)**
Switching zones	**168 switching zones**
Mounting height	**2,00 – 5,00 m**
Presence range	**4 x 4 m (16 m²)**
Optimal mounting height	**2,8 m**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Master/master Master/slave**
KNX functions	**Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Day / night function Presence output Light output 4x Logic gate**
With bus coupler	**Yes**
Control technology	**On/Off-Leuchte**
Networking via	**KNX**

LIGHTING TECHNOLOGY

Soft light start	**Yes**
Continuous light	**selectable**
Constant light regulation	**Yes**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 1000 lx**
Time setting	**60 s – 255 Min.**
Base light function	**Yes**
Main light adjustable	**0 - 100 %**
Settings via	**ETS software Remote control Bus Smart Remote**
With remote control	**No**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP65**
Ambient temperature	**from -25 up to 55 °C**
Housing material	**Plastic**
Cover material	**without cover**
Mounting location	**ceiling**
Application location	**Indoors**
Mounting type	**In-ceiling installation**
Material	**Plastic**
Application room	**Indoors WC / washroom care room function room / ancillary room hotel room one-person office**
Colour	**white**
RAL colour	**9003**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**
Corner wall bracket included	**No**


IR Quattro MICRO 6m KNX - white

PRESENCE DETECTOR

EAN **4007841064129**
E-Nr. **535934808**

Illustrations

TECHNICAL DRAWINGS



43 x 71 mm

MOUNTING HEIGHT


2,00 – 5,00 m	2,8 m	5,00 m
BEREICH	OPTIMAL	MAX

IR Quattro MICRO 6m KNX - white

PRESENCE DETECTOR

EAN 4007841064129
E-Nr. 535934808

Highlights



Miniature precision infrared lens



With spring clips



Can only be set using optional remote controls



Smart Remote remote control optional

IR Quattro MICRO 6m KNX - white

PRESENCE DETECTOR

EAN **4007841064129**
E-Nr. **535934808**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841593018	**Service Fernbedienung RC6 KNX**	Accessory
	4007841592912	**Nutzer Fernbedienung RC7 KNX**	Accessory

ORDERING INFORMATION

Art.-Nr.	064129
EAN	4007841064129
E-Number	535934808
Typ	**IR Quattro MICRO 6m KNX - white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss