

L 244 LED anthrazit

neva
lux

Product code **4007841033248**

- Including STEINEL LED system
- LED ambient light
- Rustproof stainless steel trim
- Impact-resistant material rated to IK07

neva
lux

305 x 165 x 81 mm



L 244 LED anthrazit

Product code 4007841033248

Technical Data

IDENTIFICATION		Mechanical scalability		No	Luminous flux decline per LM80		L70B10
Variant	Anthracite	Radial range	r = 3 m (14 m²)				
DIMENSIONS		Tangential range	r = 10 m (157 m²)		SETTINGS		
Dimensions L × W × H		305 x 165 x 81 mm		LIGHTING TECHNOLOGY			
ELECTRICAL		Colour temperature	3000 K		Twilight switch	Yes	
Mains connection	220 – 240 V , 50 / 60 Hz	LED colour deviation	SDCM3		Twilight setting	2 – 2000 lx	
Power	7,5 W	Colour rendering index	80-89		Time setting	8 sec – 35 min	
SENSOR TECHNOLOGY		With illuminant	Yes, STEINEL LED system		HOUSING & MATERIAL		
Sensor technology	passive infrared	Illuminant	LED cannot be replaced		Impact resistance	IK07	
With motion detector	Yes	Base	without		Protection class (IP)	IP44	
Detection angle	180 °	LED cooling system	Passive Thermo Control		Protection class	II	
Sneak-under protection	Yes	Luminous flux	500 lm		Ambient temperature	-20 – 50 °C	
Segment-by-segment masking	Yes	LIFETIME					
Electronic scalability	No	LED lifetime max. °C	50000 h		Housing material	Stainless steel	
				SCOPE OF DELIVERY & WARRANTY			
				Manufacturer warranty	3 years		

L 244 LED anthrazit

Product code 4007841033248

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841033224	L 224 S anthrazit	

ORDERING INFORMATION

Art.-Nr.

4007841033248

Typ

L 244 LED anthrazit

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss