

RS PRO B1 Notlicht S neutralweiss



Product code **4007841065997**

E-Nr. **941003439**

- Including STEINEL LED system
- Intelligent LED cooling system
- Emergency light module in compliance with EN 60598-2-22
- High-quality aluminium
- Interconnectable by cable

neva
lux

300 x 67 mm



RS PRO B1 Notlicht S neutralweiss

Product code 4007841065997
E-Nr. 941003439

Technical Data

DIMENSIONS	
Dimensions Ø x H	300 x 67 mm
ELECTRICAL	
Mains connection	230 – 240 V / 50 Hz
Power	13,5 W
SENSOR TECHNOLOGY	
Max. mounting height	4,00 m
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	5,8 GHz
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Segment-by-segment masking	Yes
Electronic scalability	Yes
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 8 m (50 m²)
Mounting height	2,00 – 4,00 m
Optimal mounting height	2,5 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/master\nMaster/slave
Networking via	Cable
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	1166 lm
Colour temperature	4000 K
LED colour deviation	SDCM3
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Active Thermo Control
Soft light start	No
Continuous light	selectable
Efficiency without cover	86 lm/W
Luminous flux emergency light	21 lm
LIFETIME	
LED lifetime max. °C	50000 h
Luminous flux decline per LM80	L70B10
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	5 s – 15 Min.
Base light function	No
Functions	Emergency light in compliance with EN 60598-2-22 for 3h
Settings via	Potentiometers
With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Impact resistance	IK07
Protection class (IP)	IP20
Protection class	II
Ambient temperature	0 – 40 °C
Housing material	Aluminium
Cover material	PC, opal
Mounting location	ceiling wall
Application location	Indoors
Mounting type	Surface wiring
Application room	Indoors WC / washroom changing room corridor / aisle function room / ancillary room kitchenette outdoors stairwell
Colour	Silver
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years

RS PRO B1 Notlicht S neutralweiss

Product code **4007841065997**
E-Nr. **941003439**

Illustrations

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,5 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

RS PRO B1 Notlicht S neutralweiss

Product code **4007841065997**
E-Nr. **941003439**

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841065997
E-Number	941003439
Typ	RS PRO B1 Notlicht S neutralweiss
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	